

List of fossils Dermestidae species

Jiří Háva

Prague-west, Czech Republic

2020

The list is based on the author's **World Catalogue of Dermestidae**
www.dermestidae.wz.cz

AS Asia
EU Europe
AMN north America
AM central and south America
† fossil



Subfamily Dermestinae Tribe Dermestini

Genus *Dermestes* Linnaeus, 1758

- †*Dermestes* sp.: Larsson, 1978
Distribution: (fossil: Baltic amber)
†*Dermestes* sp.: Spahr, 1981
Distribution: (fossil: Baltic amber)

Subgenus *Dermestes*

- †*Dermestes progenitor* Zhantiev, 2006
Distribution: **EU**: Russia (fossil: Baltic amber)
†*Dermestes vetustus* Zhantiev, 2006
Distribution: **EU**: Ukraine (fossil: Rovno amber)

incertae sedis

- †*Dermestes larvalis* Cockerell, 1917
Distribution: **AS**: Myanmar (fossil - larva: Early Cretaceous: Burmese amber)
†*Dermestes pauper* Heer, 1847
Distribution: **EU**: Germany (fossil: Early Miocene)
†*Dermestes tertarius* Wickham, 1912
Distribution: **AMN**: U.S.A.: Colorado (fossil: Early Oligocene: Florissant)

Tribe Paradermestini

†**Genus *Paradermestes* Deng, Ślipiński, Ren & Pang, 2017**

†*Paradermestes jurassicus* Deng, Ślipiński, Ren & Pang, 2017

Distribution: **AS**: China: Inner Mongolia (fossil: Middle Jurassic)

Subfamily Orphilinae

Tribe Orphilini

Genus *Orphilus* Erichson, 1846

†*Orphilus dubius* Wickham, 1912

Distribution: **AMN**: Colorado (fossil: Early Oligocene: Florissant)

Subfamily Trinodinae

Tribe Cretonodini

†**Genus *Cretonodes* Kirejtshuk & Azar in Kirejtshuk et al., 2009**

†*Cretonodes antounazari* Kirejtshuk & Azar in Kirejtshuk et al., 2009

Distribution: **EU**: Lebanon (fossil: Lebanese amber)

Tribe Trinodini

Genus *Evorinea* Beal, 1961

†*Evorinea amberica* Háva, Prokop & Herrmann, 2008

Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

†**Genus *Oisenodes* Kirejtshuk, Háva & Nel, 2010**

†*Oisenodes azari* Kirejtshuk, Háva & Nel, 2010

Distribution: **EU**: France (fossil: French amber)

†*Oisenodes clavatus* Kirejtshuk, Háva & Nel, 2010

Distribution: **EU**: France (fossil: French amber)

†*Oisenodes gallicus* Kirejtshuk, Háva & Nel, 2010

Distribution: **EU**: France (fossil: French amber)

†*Oisenodes metasternalis* Kirejtshuk, Háva & Nel, 2010

Distribution: **EU**: France (fossil: French amber)

†*Oisenodes oisensis* Kirejtshuk, Háva & Nel, 2010

Distribution: **EU**: France (fossil: French amber)

†*Oisenodes transversus* Kirejtshuk, Háva & Nel, 2010

Distribution: **EU**: France (fossil: French amber)

Genus *Trinodes* Dejean, 1821

†*Trinodes* sp.: Larsson, 1978

Distribution: (fossil: Baltic amber)

†*Trinodes* sp.: Spahr, 1981

Distribution: (fossil: Baltic amber)

†*Trinodes puetzi* Háva & Prokop, 2006

Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

Trinodinae larvae

†*Trinodes* larva sp.: Kadej & Háva, 2011

Distribution: **EU**: Russia: Poland (fossil: Baltic amber)

Subfamily Attageninae

Tribe Attagenini

Genus *Attagenus* Latreille, 1802

- †*Attagenus* sp.: Larsson, 1978
Distribution: (fossil: Baltic amber)
- †*Attagenus* sp.: Spahr, 1981
Distribution: (fossil: Baltic amber)

Subgenus *Aetriostoma*

- †*Attagenus gedanicissimus* Bukejs, Háva & Alekseev, 2020
Distribution: **EU**: Russia (fossil: Baltic amber);
Ukraine (fossil: Rovno amber)
- †*Attagenus turonianensis* Peris & Háva, 2016
Distribution: **AMN**: U.S.A.: New Jersey (fossil: Late Cretaceous: Turonian amber)

Subgenus *Attagenus*

- †*Attagenus ambericus* Háva & Prokop, 2004
Distribution: **AM**: Dominican Republic (fossil: Dominican amber)
- †*Attagenus balticus* Háva, Prokop & Herrmann, 2008
Distribution: **EU**: Germany (fossil: Bitterfeld amber);
Russia: Kaliningrad (fossil: Baltic amber)
- †*Attagenus burmiticus* Cai, Háva & Huang, 2017
Distribution: **AS**: Myanmar (fossil: Cretaceous: Burmese amber)
- †*Attagenus secundus* Deng, Ślipiński, Ren & Pang, 2017
Distribution: **AS**: Burma (fossil: Cretaceous: Burmese amber)
- †*Attagenus electron* Poinar & Háva, 2015
Distribution: **AM**: Dominican Republic (fossil: Dominican amber)
- †*Attagenus gorskii* Háva, 2014
Distribution: **EU**: Poland: Gdańsk (fossil: Baltic amber);
Russia: Kaliningrad (fossil: Baltic amber)
- †*Attagenus hoffeinsorum* Háva, Prokop & Herrmann, 2006
Syn.: *Attagenus hoffeinsorum*: Háva, Prokop & Herrmann, 2008:156
Distribution: **EU**: Poland: Gdańsk (fossil: Baltic amber);
Russia: Kaliningrad (fossil: Baltic amber)
- †*Attagenus lundi* Háva & Damgaard, 2017
Distribution: **AS**: Burma (fossil: Cretaceous: Burmese amber)
- †*Attagenus obesus* Háva, Prokop & Herrmann, 2008
Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)
- †*Attagenus yantarnyi* Háva & Bukejs, 2012
Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

incertae sedis

- †*Attagenus aboriginalis* Wickham, 1913
Distribution: **AMN**: U.S.A.: Colorado (fossil: Early Oligocene: Florissant)
- †*Attagenus extinctus* C. Heyden & L. Heyden, 1865
Distribution: **EU**: Germany (fossil: Middle Miocene)
- †*Attagenus sopitus* Scudder, 1900
Distribution: **AMN**: U.S.A.: Colorado (fossil: Early Oligocene: Florissant)

†Genus *Limniattagenus* Poinar & Háva, 2015

- †*Limniattagenus electron* Poinar & Háva, 2015
Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

Tribe Cretodermestini

†**Genus *Cretodermestes*** Deng, Ślipiński, Ren & Pang, 2017

†*Cretodermestes palpalis* Deng, Ślipiński, Ren & Pang, 2017
Distribution: **AS**: Burma (fossil: Cretaceous: Burmese amber)

Tribe **Eckfeldattagenini**

†**Genus *Eckfeldattagenus*** Háva & Wappler, 2014

†*Eckfeldattagenus eocenicus* Háva & Wappler, 2014
Distribution: **EU**: Germany (fossil: Eocene: Eckfelder maar)

Subfamily **Megatominae**

Tribe **Anthrenini**

Genus *Anthrenus* Gistel, 1848

†*Anthrenus* sp.: Larsson, 1978
Distribution: (fossil: Baltic amber)

†*Anthrenus* sp.: Spahr, 1981
Distribution: (fossil: Baltic amber)

Subgenus *Nathrenus*

†*Anthrenus ambericus* Háva, Prokop & Herrmann, 2006
Distribution: **EU**: Germany (fossil: Bitterfeld amber);
Russia: Kaliningrad (fossil: Baltic amber)

†*Anthrenus electron* Háva, Prokop & Kadej, 2006
Distribution: **EU**: Poland: Gdańsk (fossil: Baltic amber)

†*Anthrenus groehni* Háva, Prokop & Herrmann, 2006
Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

†*Anthrenus kerneggeri* Háva, Prokop & Herrmann, 2008
Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

Tribe **Megatomini**

Genus *Cryptorhopalum* Guérin-Méneville, 1838

†*Cryptorhopalum ambericum* Háva & Prokop, 2004
Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

†*Cryptorhopalum dominicanum* Háva & Prokop, 2004
Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

†*Cryptorhopalum electron* Beal, 1972
Distribution: **AMN**: Mexico: Chiapas (fossil: Mexican amber);
AM: Dominican Republic (fossil: Dominican amber)

†*Cryptorhopalum jantanicum* Háva & Prokop, 2004
Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

†*Cryptorhopalum kaliki* Poinar & Háva, 2015
Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

†*Cryptorhopalum macieji* Poinar & Háva, 2015
Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

Genus *Miocryptorhopalum* Pierce, 1960

†*Miocryptorhopalum kirkbyae* Pierce, 1960
Distribution: **AMN**: U.S.A.: California (fossil: Miocene)

Genus *Orphinus* Motschulsky, 1858

†*Orphinus* sp.: Larsson, 1978

Distribution: (fossil: Baltic amber)

†*Orphinus* sp.: Spahr, 1981

Distribution: (fossil: Baltic amber)

Genus *Globicornis* Latreille in Cuvier, 1829

†*Globicornis* sp.: Larsson, 1978

Distribution: (fossil: Baltic amber)

†*Globicornis* sp.: Spahr, 1981

Distribution: (fossil: Baltic amber)

Subgenus *Globicornis*

†*Globicornis groehni* Bukejs & Háva, 2018

Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

†*Globicornis rakovici* Háva, 2008

Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

Subgenus *Hadrotoma*

†*Globicornis americus* Háva, Prokop & Herrmann, 2006

Distribution: **EU**: Poland; Russia: Kaliningrad (fossil: Baltic amber)

†*Globicornis ingelehmannae* Háva & Damgaard, 2015

Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

Genus *Megatoma* Herbst, 1791

†*Megatoma* sp.: Hieke & Pietrzeniuk, 1984

Distribution: (fossil: Baltic amber)

Subgenus *Megatoma*

†*Megatoma atypica* Deng, Slipinski, Ren & Pang, 2017

Distribution: **AS**: Burma (fossil: Cretaceous: Burmese amber)

†*Megatoma electra* Zhantiev, 2006

Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

Genus *Amberoderma* Háva & Prokop, 2004

†*Amberoderma beali* Háva & Prokop, 2004

Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

Genus *Caccoleptus* Sharp, 1902

Subgenus *Biccacoleptus*

†*Caccoleptus prokopi* Poinar & Háva, 2015

Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

Subgenus *Caccoleptus*

†*Caccoleptus electron* Poinar & Háva, 2015

Distribution: **AM**: Dominican Republic (fossil: Dominican amber)

Genus *Phradonoma* Jacquelin du Val, 1859

†*Phradonoma americum* Háva, Prokop & Herrmann, 2008

Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

Genus *Trogoderma* Dejean, 1821

†*Trogoderma* sp.: Hieke & Pietrzeniuk, 1984
Distribution: (fossil: Baltic amber)

†*Trogoderma larvalis* Háva, Prokop & Herrmann, 2006
Distribution: **EU**: Russia: Kaliningrad (fossil: Baltic amber)

Megatominae larvae

†Genus sp.: Poinar & Poinar, 2016
Distribution: **AS**: Myanmar (fossil: Cretaceous: Burmese amber)

†Genus sp.: Poinar, 2019
Distribution: **AS**: Myanmar (fossil: Cretaceous: Burmese amber)

†Genus sp.: Grimaldi et al., 2018
Distribution: **AM**: Alaska (fossil: Paleogene: Alaskan amber)

†*Trogoderma*-like sp.: Peñalver et al., 2017
Distribution: **AS**: Myanmar (fossil: Cretaceous: Burmese amber)