

## Subfamily: Dermestinae Latreille, 1804

Tribe: Dermestini Latreille, 1804:142

Type genus: *Dermestes* Linnaeus, 1758:342

### 1. Genus *Dermalius* Háva, 2001b:147 [NT 1]

Type species: *Dermestes maximus* Pic, 1915b:45

List of species

*Dermalius maximus* (Pic, 1915b:45) [MNHN]

Syn.: *Dermestes maximus*: Lepesme, 1950:67

*Dermestes (Dermalius) maximus*: Háva, 2001b:153

*Dermestes (Dermalius) maximus*: Háva & Coache, 2020:16

*Dermalius maximus*: Háva, 2021t:1

Distribution: **AF**: Benin; Burkina Faso; Cameroon; Congo; Gambia; Ghana; Ivory Coast; Mauretania; Senegal; Tchad

### 2. Genus *Dermestes* Linnaeus, 1758:342

Syn: *Dermestes* Linnaeus, 1746:135 (in)

*Dermestes* Linnaeus, 1748:55 (in)

*Dermestes* Uddman, 1753:6 (in)

*Dermestites* Laporte de Castelnau, 1840:33

*Dermetes* [sic!]: Florent et al., 2015:112

### 2a. Subgenus *Derbyana* Lawrence & Ślipiński, 2005:232 [NT 1]

Type species: *Derbyana matthewsi* Lawrence & Ślipiński, 2005:235

Syn.: *Derbyana* Lawrence & Ślipiński, 2005:232

*Derbyana*: Zhou et al., 2022:14

List of species

*Derbyana matthewsi* Lawrence & Ślipiński, 2005:235 [SAMA]

Distribution: **AU**: Western Australia

### 2b. Subgenus *Dermestes* Linnaeus, 1758:342 [NT 44]

Type species: *Dermestes lardarius* Linnaeus, 1758:354

Syn.: *Montandonia* Jacquet, 1886a:320

*Montandonia* Jacquet, 1886b:2 (hn)

*Mantandonia* [sic!] Pushkin, 2019a: Háva & Herrmann, 2019b:30

List of species

species group „*ater*“

*Dermestes ater* DeGeer, 1774:223 [NHRS]

Syn.: *Dermestes cadaverinus* Fabricius, 1775:55 [ZMUC]

*Dermestes piceus* Thunberg, 1781:8 [UZIU]

*Dermestes felinus* Fabricius, 1787:34 [ZMUC]

*Dermestes domesticus* Germar, 1824:83 [ZMUB]

*Dermestes domesticus* Gebler in Ledebour, 1830:99 (nn)

*Dermestes cinereus* Motschulsky, 1848:563 [ZMUM]

*Dermestes cadaverinus* ab. *domesticus*: Erichson, 1846:430

- Dermestes domesticus*: Gebler, 1847:446  
*Dermestes hispidulus* Montrouzier, 1860:264 [?]  
*Dermestes chinensis* Motschulsky, 1866:168 [ZMUM]  
*Dermestes subcostatus* Murray, 1867:22 [BMNH]  
*Dermestes noxius* Mulsant & Rey, 1867:55 [MNHN]  
*Dermestes cadavericus* [sic!]: Salvaña Comas, 1870:16  
*Dermestes domesticus* var. *subsulcatus* Ballion, 1878:277 [ZMAS]  
*Dermestes cadaverinus* var. *subsulcatus*: Heyden, 1881:98  
*Dermestes favarcqui* Godard, 1883:383 [MNHN]  
*Dermestes ater* var. *domestica*: Blackwelder, 1945:395  
*Dermestes ater*: Lepesme, 1950:61  
*Dermestes rufoapicalis* Pic, 1951c:7 [MNHN]  
*Dermestes ater* var. *subsulcatus*: Mroczkowski, 1968:46  
*Dermestes cadaverinus* var. *domesticus* [sic!]: Averensky, 1999:31  
*Dermestes ater domesticus* [sic!]: Yan et al., 2010:214  
*Dermestes ater* ab. *ceylonicus* Kalík (un): Háva, 2017h:288  
*Dermestes ater*: Wu, Hu & Li, 2020:3483  
*Dermestes senegalensis* Buquet: Heer (un)  
*Dermestes longipennis* Heer (un)  
Larva: Rees, 1947:10; Zhantiev, 1998:896; Prins, 1984:219; Kiselyova & McHugh, 2006:473  
Distribution: **EU**, **AF**, **AMN**, **AM**, **AS**, **AU**
- Dermestes palmi* Sjöberg, 1950:162 [MZHF]  
Syn.: *Dermestes geltzermani* Kozminykh, 1997:77 [POKM]  
*Dermestes hoeltzermani* Kozminykh, 1998:176  
*Dermestes palmi*: Háva, 2007c:57  
*Dermestes palmi*: Zhantiev, 2009c:146  
*Dermestes palmi*: Háva & Herrmann, 2020:11  
Distribution: **EU**: Finland; Sweden; **AS**: Mongolia; Russia: Altay, Amur, Baykal, Karelia, Khabarovsk, Perm, Primorski, Udmurtia, Ussuri
- †*Dermestes vetustus* Zhantiev, 2006b:88 [SIZC]  
Distribution: **EU**: Ukraine (fossil: Rovno amber)
- species group „*bicolor*“  
species subgroup „*bicolor*“
- Dermestes amoenus* Háva, 2008p:36 [NHMB]  
Syn.: *Dermestes nidum* [sic!]: Zhang et al., 2016:82  
Distribution: **AS**: China: Hubei, Shaanxi, Sichuan, Yunnan
- Dermestes bicolor bicolor* Fabricius, 1781:64 [ZMUC]  
Syn.: *Dermestes striatus* Kolenati, 1846:58 [ZMAS]  
*Dermestes bicolor* [sic!]: Scholz & Hinke, 1919: Burakowski et al. 1986:18  
*Dermestes jakesi* Kalík (un): Háva, 2004k:209 [MMBC]  
Larva: Zhantiev, 1998:896  
Distribution: **EU**; Cyprus; Canary Is. (intr.); **AS**: Afghanistan; India: Punjab; Iran; Japan; Kazakhstan; North Korea; Kyrgyzstan; Pakistan; Russia; Syria; Turkey; Tajikistan; Turkmenistan
- Dermestes bicolor impressus* Pic, 1898a:2 [MNHN]  
Syn.: *Dermestes impressus* Pic, 1898a:2  
*Dermestes bicolor*: Alfieri, 1976:115  
*Dermestes bicolor* ssp. *impressus*: Háva, 2003e:23  
*Dermestes bicolor* ssp. *impressus*: Háva, 2019d:75  
Distribution: **AF**: Algeria; Egypt; Morocco; Tunisia
- Dermestes cernyi* Háva, 2009i:120 [JHAC]  
Syn.: *Dermestes bicolor cernyi* Háva, 2009i:120  
*Dermestes cernyi*: Háva & Herrmann, 2020:10

- Distribution: **AS**: Kazakhstan; Kyrgyzstan; Uzbekistan
- Dermestes difficilis* Háva, 2007f:45 [JHAC]  
Distribution: **AM**: Bolivia
- Dermestes freudei* Kalík & Ohbayashi, 1982:65 [ZSMC]  
Syn.: *Dermestes cadaverinus*: Yokoyama, 1931:105  
*Dermestes bicolor*: Nakane, 1964:177  
*Dermestes freudi* [sic!]: Li J.-K., 1992:106  
*Dermestes freudi* [sic!]: Kim et al., 1994:163  
*Dermestes freudi* [sic!]: Ueno, 1995:248  
*Dermestes freudi* [sic!]: Hua, 2002:100  
Distribution: **AS**: N China; Japan; North Korea; N South Korea; Russia: E Siberia
- Dermestes hispanicus* Kalík, 1952a:75 [SMNS]  
Syn.: *Dermestes bicolor*: Escalera, 1914:136  
*Dermestes bicolor*: Kocher, 1956:20  
*Dermestes hispanus* [sic!]: Kocher, 1969b:60  
Distribution: **EU**: Portugal; Sardinia; Spain; **AF**: Algeria; Morocco; Tunisia
- Dermestes laosensis* Háva, 2004l:81 [JHAC]  
Syn.: *Dermestes nidum* [sic!]: Hagstrum & Subramanyam, 2009:75  
Distribution: **AS**: Laos; Thailand
- Dermestes nidum* Arrow, 1915b:426 [MCZC]  
Syn.: *Dermestes elongatus* LeConte, 1854:109 (hn)  
*Dermestes elongatus*: Barber, 1914:146  
*Dermestes nidum*: Snyder et al., 1984:171  
*Dermestes bicolor* [sic!]: Hagstrum & Subramanyam, 2009:72  
*Dermestes nidum*: Zhang et al., 2016:82  
Larva: Böving & Craighead, 1931:264; Rees, 1947:11  
Distribution: **AMN**: Canada; U.S.A.; **AS**: Japan ?; North Korea ?; Russia: E Siberia ?; Taiwan ?
- Dermestes pulcher* LeConte, 1854:108 [MCZC]  
Distribution: **AMN**: Canada: Manitoba, New Brunswick, Quebec; U.S.A.: Illinois, Iowa, Kansas, New Hampshire, New York, Ohio, Oklahoma, Pennsylvania, Texas, Wisconsin
- Dermestes schneideri* Háva, 2002e:35 [JHAC]  
Syn.: *Dermestes nidum*: Mroczkowski, 1966d:439  
*Dermestes (Dermestes) bicolor*: Zhantiev, 1973b:187  
*Dermestes schneideri*: Háva, 2003g:22  
*Dermestes schneideri*: Háva, 2004g:85  
*Dermestes nidum* [sic!]: Hagstrum & Subramanyam, 2009:75  
*Dermestes nidum* [sic!]: Zhang et al., 2016:82  
Distribution: **AS**: Mandzhuria; Mongolia
- Dermestes sinensis* Háva, 2004f:230 **stat. nov.** [JHAC]  
Syn.: *Dermestes bicolor sinensis* Háva, 2004f:230  
Distribution: **AS**: China: Xinjiang
- Dermestes subaenescens* Pic, 1943a:15 [MNHN]  
Syn.: *Dermestes subaenescens*: Lapesme, 1950:62  
*Dermestes subaenescens*: Háva & Kalík, 2005a:96  
*Dermestes subaenescens*: Háva, 2007f:44  
Distribution: **AM**: Argentina; Brazil; Paraguay
- Dermestes vietnamensis* Háva, 2022j:694 [JHAC]  
Distribution: **AS**: Vietnam

- species subgroup „*gerstaeckeri*“
- Dermestes brutus* Háva, 2023h:28 [JHAC]  
Distribution: **AF**: Madagascar
- Dermestes eraticus* Háva, 2023h:23 [JHAC]  
Distribution: **AF**: Namibia; South Africa
- Dermestes gerstaeckeri* Dalla Torre, 1911:44 [ZMUH]  
Syn.: *Dermestes subcostatus* Gerstäcker, 1884:45 (hn)  
*Dermestes gerstaeckeri*: Kalík, 1965:215  
*Dermestes gerstaeckeri*: Háva, 2023h:22  
Distribution: **AF**: Botswana; Ethiopia; Kenya; Namibia; South Africa; Tanzania
- Dermestes impressipennis* Pic, 1942b:9 [MNHN]  
Syn.: *Dermestes impressipennis*: Háva, 2023h:29  
Distribution: **AF**: Madagascar
- Dermestes semistriatus* Boheman, 1851:583 [NHRS]  
Syn.: *Dermestes semistriatus*: Háva, 1999a:138  
*Dermestes semistriatus*: Háva, 2023h:25  
*Dermestes africanus* Kalík (un)  
Distribution: **AF**: Benin; Botswana; Congo; Ethiopia; Mali; Mozambique; Namibia; South Africa; Tanzania; Zimbabwe
- Dermestes voi* Háva, 2000e:162 [JHAC]  
Syn.: *Dermestes voi*: Háva, 2023h:26  
Distribution: **AF**: Ethiopia, Kenya
- Dermestes wittei* Kalík, 1955a:95 [MRAC]  
Syn.: *Dermestes bicolor*: Grouvelle, 1899:8  
*Dermestes bicolor*: Lepesme, 1950:66  
*Dermestes bicolor*: Pic, 1955:131  
*Dermestes tanzanianus* Háva, 2000a:367 [JHAC]  
*Dermestes tanzanianus*: Háva, 2003d:75  
*Dermestes wittei*: Háva, 2004h:157  
*Dermestes wittei*: Háva, 2023h:27  
Distribution: **AF**: Congo; Gambia; Ghana; Madagascar; Mozambique; Namibia; Nigeria; Rwanda; Somalia; Somaliland; South Africa; Tanzania; Zimbabwe
- species group „*fuliginosus*”
- Dermestes depressus* Gebler in Ledebour, 1830:99 [ZMAS]  
Syn.: *Dermestes depressus* Gebler, 1847:445 (hn)  
*Montandonia depressa*: Heyden, 1893:64  
*Dermestes (Montandonia) depressus*: Zhantiev, 2001a:371  
*Dermestes depressus*: Efimov & Zinchenko, 2012:534  
Larva: Zhantiev, 2001a:372  
Distribution: **AS**: Russia: Siberia
- Dermestes fuliginosus* Rossi, 1792:17 [ZMUB] [OLLA]  
Syn.: *Dermestes ater* Duftschmid, 1825:32 (hn)  
*Dermestes fuliginosus* [sic!]: Mulsant & Rey, 1868:181  
*Dermestes ater* var. *fuliginosus*: Reitter, 1887e:45  
*Dermestes fuliginosus*: Roubal, 1937:472  
*Dermestes olivieri* ab. *fuliginosus*: Lepesme, 1950:67  
*Dermestes fuliginosus*: Kalík, 1951b:46  
*Dermestes (Montandonia) fuliginosus*: Zhantiev, 2001a:371  
*Dermestes fulidinosus* [sic!]: Pushkin, 2007:130

- Distribution: **EU**; Armenia; Azerbaijan; Georgia; Turkey; **AS**: „Caucasus“; Iran; W Russia
- Dermestes hirticollis* Fabricius, 1792:229 [?]  
 Syn.: *Dermestes (Montandonia) hirticollis*: Zhantiev, 2001a:371  
 Distribution: **EU**: France; Portugal; Sardinia; Spain; **AF**: Algeria; Egypt; Morocco; Tunisia
- Dermestes latissimus* Bielz, 1850:180 [MBSR]  
 Syn.: *Montandonia catopoides* Jacquet, 1886a:319 [MNHN]  
*Montandonia catopoides* Jacquet, 1886b:2 (hn)  
*Montandonia latissimus*: Reitter, 1891:169  
*Dermestes (Montandonia) latissimus*: Zhantiev, 2001a:371  
*Dermestes (Montandonia) latissimus*: Merkl & Háva, 2007:84  
*Dermestes (Montandonia) latissimus*: Háva & Herrmann, 2019a:45  
 Larva: Zhantiev, 2001a:375  
 Distribution: **EU**: Romania
- Dermestes olivieri* Lepesme, 1939:192 [?MNHN]  
 Syn.: *Dermestes ater* Olivier, 1790:9 (hn)  
*Dermestes olivieri* Barber, 1942a:175 (hn)  
*Dermestes ater*: Liebmann, 1945:70  
*Dermestes (Montandonia) olivieri*: Zhantiev, 2001a:371  
*Dermestes (Montandonia) [sic!] olivieri*: Pushkin, 2019a:13  
 Distribution: C, S **EU**; Armenia; Cyprus; Georgia; Ukraine; Turkey; **AF**: Tunisia; **AS**: „Caucasus“; Iran; Lebanon; Russia; Syria; Turkmenistan
- Dermestes roubali* (Kalík, 1951c:152) [HNHM]  
 Syn.: *Montandonia roubali* Kalík, 1951c:152  
*Dermestes roubali*: Zhantiev, 1967:1350  
*Dermestes roubali*: Schawaller, 1990:237  
*Dermestes roubali*: Háva 1999a:139  
*Dermestes roubali*: Lozinskaya & Legalov, 1999:95  
*Dermestes (Montandonia) roubali*: Zhantiev, 2001a:371  
 Distribution: **AS**: Kazakhstan; Russia: C Siberia, Altai Mts.; Turkmenistan
- Dermestes sichuanicus* Háva, 1999b:147 [JHAC]  
 Distribution: **AS**: China: Sichuan, Gansu, Qinghai  
 species group „*lardarius*“
- Dermestes lardarius* Linnaeus, 1758:354 [UZIU]  
 Syn.: Le Dermeste du lard: Geoffroy, 1762:101 (unnamed)  
*Dermestes lardarius* var. *conjunctus* Reitter, 1887b:173 [?]  
*Dermestes lardarius* var. *proximus* Reitter, 1887b:173 [?]  
*Dermestes luganensis* Stierlin, 1902:425 [DEIC]  
*Dermestes laradarius* [sic!]: Lepesme, 1950:65  
*Dermestes lardarius* var. *atrobasalis* Pic, 1951c:7 [MNHN]  
*Dermestes laudarius* [sic!]: Wajgiel, 1875: Burakowski et al., 1986:19  
*Dermestes cardarius* [sic!]: Hua, 2002:100  
*Dermestes lardarius*: Pushkin, 2019a:16  
*Dermestes lardarius*: Smith et al., 2020:9  
 Larva: Blankaart, 1688:95; Zhantiev, 1998:895  
 Distribution: **EU**, **AF**, **AMN**, **AM**, **AS**, **AU**
- Dermestes reductus* Kalík, 1952b:43 [CASC]  
 Syn.: *Dermestes lardarius* ab. *reductus* Lepesme, 1950:64 [MNHN]  
*Dermestes reductus* Lepesme [sic!]: Hatch, 1962:282  
 Distribution: **AMN**: Canada: Alberta, British Columbia, Ontario, Quebec; U.S.A.: Minnesota, North Dakota

- Dermestes signatus* LeConte, 1874:50 [MCZC]  
 Syn.: *Dermestes lardarius* var. *signatus*: Jayne, 1882:353  
*Dermestes signatus*: Rees, 1947:11  
*Dermestes signatus*: Mroczkowski, 1968:61  
 Larva: Rees, 1947:11  
 Distribution: **AMN**: Canada; U.S.A.
- Dermestes vorax* Motschulsky, 1860:123 [ZMUM]  
 Syn.: *Dermestes vorax* Motschulsky, 1859:491 (nn)  
*Dermestes lardarius* var. *vorax*: Reitter, 1879:212  
*Dermestes vorax* var. *albofasciatus* Matsumura & Yokoyama, 1928b:51 [YOKC]  
*Dermestes lardarius* ssp. *vorax*: Kuznecova, 1932:238  
*Anthrenus* [sic!] *vorax albofasciatus*: Hinton, 1945b:334  
*Dermestes vorax*: Mroczkowski, 1968:61  
*Anthrenus* [sic!] *vorax albofasciatus*: Kim et al., 1999:198  
*Anthrenus* [sic!] *vorax* Motschulsky: Rajendran & Hajira Parveen, 2005:5  
*Dermestes vorax*: Nardi & Háva, 2013:49  
*Dermestes vorax* var. *albofasciatus* [sic!]: Qin et al., 2018:294  
*Dermestes vorax* var. *albofasciatus* [sic!]: Zhang et al., 2016:80  
 Larva: Zhantiev, 1998:895  
 Distribution: **AS**: N China; Japan; North Korea; Russia: Khabarovsk, Kuril Is., Primorski, Sakhalin; South Korea
- species group „*peruvianus*“
- Dermestes argentinus* Herrmann & Háva, 2013e:376 [IAMA]  
 Distribution: **AM**: Argentina; Chile
- Dermestes boliviensis* Háva & Kalík, 2005a:90 [JHAC]  
 Syn.: *Dermestes bicolor*: Lepesme, 1950:66  
 Distribution: **AM**: Argentina, Bolivia
- Dermestes elongatissimus* Pic, 1916c:15 [MNHN]  
 Syn.: *Dermestes elongatissimus*: Lepesme, 1950:64  
*Dermestes elongatissimus*: Háva & Kalík, 2005a:88  
 Distribution: **AM**: Ecuador
- Dermestes haemorrhoidalis* Küster, 1852:64 [ZMUB]  
 Syn.: *Dermestes gulo* Mulsant & Godart, 1855:275 [MNHN]  
*Dermestes peruvianus*: Kraatz, 1868:336  
*Dermestes haemorrhoidalis*: Archibald & Maddison, 1988:3  
*Dermestes peruvianus*: Stejskal & Kučerová, 1993:189  
*Dermestes haemorrhoidalis*: Háva & Kalík, 2005a:95  
*Dermestes peruvianus*: Santos et al., 2012:254  
*Dermestes haemorrhoidalis*: Santos et al., 2013:255  
 Larva: Mulsant & Rey, 1868:59; Rey, 1887:184; Zhantiev, 1998:895  
 Distribution: **EU**; **AF**: Burundi; Congo; Madagascar; South Africa; Tanzania; Zambia;  
**AMN**: U.S.A.; **AM**: Argentina; Bolivia; Brazil; Peru; Uruguay; **AS**: China:  
 Liaoning; Iran; Japan; Mongolia; Oman; Russia; South Korea; Vietnam;  
**AU** (intr.): New Zealand
- Dermestes leechi* Kalík, 1952b:45 [NMPC]  
 Syn.: *Dermestes peruvianus*: Normand, 1936:297  
*Dermestes peruvianus*: Kocher, 1956:20  
*Dermestes vivesi* Kalík (un): Kocher, 1969b:60 (nn) [ISCM]  
*Dermestes peruvianus*: Kocher, 1969b:60  
*Dermestes leechi*: Adams, 1980:119  
*Dermestes leechi*: Háva, 1999a:138  
*Dermestes leechi*: Háva & Coache, 2020:16  
 Larva: Zhantiev, 1998:896

- Distribution: **EU**: Azerbaijan; England (intr.); Scotland (intr.); Spain; **AF**: Egypt; Eritrea; Mali; Morocco; Sebaïr I.; Senegal; Sudan; Tunisia; **AS**: Afghanistan; India; Iran; Nepal; Pakistan; Russia: SW Siberia; Tajikistan; Turkmenistan; Uzbekistan
- Dermestes patagoniensis* Háva & Kalík, 2005a:92 [NHRS]  
 Distribution: **AM**: Argentina; Chile
- Dermestes peruvianus* Laporte de Castelnau, 1840:33 [MNHN]  
 Syn.: *Dermestes peruanus* Erichson, 1847a:95 (nn) [ZMUB]  
*Dermestes angustus* Casey, 1900:143 [USNM]  
*Dermestes pervianus* [sic!]: Miwa, 1931:92  
*Dermestes angustatus* Schaeffer, 1931:174 [USNM]  
*Dermestes perviana* [sic!]: Bertullo et al., 1954:53  
*Dermestes peruvianus*: May, 1963:49  
*Dermestes peruvianus*: Suprakarn, 1986:31  
*Dermestes peruvianus*: Brooke & Prins, 1986:108  
*Dermestes pervianus* [sic!]: Hua, 2002:101  
*Dermestes peruvianus*: Háva & Kalík, 2005a:96  
*Dermestes peruvianus*: Villet, 2011:5  
*Dermestes peruvianus*: Nardi & Háva, 2013:48  
*Dermestes andicola* d'Orbigny: Heer (un)  
 Larva: Heller, 1888:157; Rees, 1947:12; Prins, 1984:222; Zhantiev, 1998:895  
 Distribution: **EU**; Canary Is.; Turkey; **AF**: Egypt; Morocco; South Africa; Tunisia; **AM**: Argentina; Bolivia; Chile; Martinique ?; Mexico; Uruguay; Peru; **AMN**: U.S.A.; **AS**: Taiwan; Thailand; **AU**: New Zealand (intr.)
- †*Dermestes progenitor* Zhantiev, 2006b:87 [ZMUB]  
 Syn.: *Dermestes progenior* [sic!]: Háva, 2015e:11  
 Distribution: **EU**: Russia (fossil: Baltic amber)
- Dermestes rufofuscus* Solier in Gay, 1849:365 [MNHN]  
 Syn.: *Dermestes oblongus* Solier in Gay, 1849:365 [MNHN]  
*Dermestes rufofuscus*: Háva, 2003e:24  
*Dermestes rufofuscus*: Háva & Kalík, 2005a:88  
*Dermestes peruvianus* [sic!]: Hagstrum & Subramanyam, 2009:76  
 Distribution: **AM**: Chile
- 2c. Subgenus *Dermestinus* Zhantiev, 1967:1352** [NT 46]
- Type species: *Dermestes murinus* Linnaeus, 1758:356
- List of species
- species group „*dimidiatus*“
- Dermestes dimidiatus* Steven in Schönherr, 1808:89 [ZMUM]  
 Syn.: *Dermestes orientalis* Kuznecova, 1928:20 [ZMAS]  
*Dermestes orientalis* ab. *rosea*: Kuznecova, 1928:22  
*Dermestes dimidiatus* ssp. *orientalis*: Lepesme, 1950:50  
*Dermestes dimidiatus* ab. *rosea*: Mroczkowski, 1962a:236  
*Dermestes dimidiatus* ssp. *orientalis* [sic!]: Hua, 2002:100  
*Dermestes dimidiatus* ssp. *rosea* [sic!]: Hua, 2002:100  
*Dermestes dimidiatus* ab. *rosea* [sic!]: Zhang et al., 2016:72  
 Larva: Zhantiev, 1999:175  
 Distribution: **EU**: Moldavia; **AS**: „Caucasus“; N China, Tibet; Kazakhstan; Kyrgyzstan; Mongolia; Russia: Adygea, Rostov, Siberia, Stavropol
- Dermestes leopardinus* Mulsant & Godart, 1855:273 [MNHN]  
 Syn.: *Dermestes dimidiatus*: Kuznecova, 1928:17

- Dermestes dimidiatus*: Hinton, 1945b:274  
*Dermestes dimidiatus* ssp. *leopardinus*: Lepesme, 1950:50  
*Dermestes dimidiatus*: Mroczkowski, 1954c:17  
*Dermestes kuznetsovae* Mroczkowski (un): Háva, Herrmann & Kadej, 2011:252  
Larva: Zhantiev, 1999:176  
Distribution: **EU**: Armenia; Azerbaijan; Bulgaria; „Caucasus“; Croatia; Georgia; Serbia; Turkey; Ukraine; **AS**: Iran; Russia: European part
- species group „*elegans*“
- Dermestes elegans* Gebler in Ledebour, 1830:99 [MZHF]  
Syn.: *Dermestes elegans* Solsky, 1876:269 (hn) [ZMAS]  
*Dermestes elegans* var. *nadezhdae* Plavilstshikov, 1924:231 [ZMAS]  
*Dermestes elegans* ab. *Nadeghdae* [sic!]: Winkler, 1926:675  
*Dermestes elegans* ab. *nadeghdae* [sic!]: Lepesme, 1950:51  
Larva: Zhantiev, 1999:176  
Distribution: **EU**: Armenia; Russia: Dagestan; Turkey; **AS**: N China; Iran; Kazakhstan; Kyrgyzstan; Mongolia; Syria\*; Tajikistan; Turkmenistan; Uzbekistan
- Dermestes fasciventris* Reitter, 1881a:28 [HNHM]  
Syn.: *Dermestes fasciiventris* Reitter, 1891 (et auctorum)  
*Dermestes fasciiveitris* [sic!]: Zhantiev, 1960:1630  
Larva: Zhantiev, 1960:1630; Zhantiev, 1999:176  
Distribution: **AS**: Kazakhstan; Russia: E Siberia
- Dermestes kafkai* Háva & Kalík, 1999:445 [JHAC]  
Distribution: **AS**: Iran
- Dermestes solskyi* Dalla Torre, 1911:49  
Syn.: *Dermestes ratus* Solsky, 1876:269 (hn) [ZMAS]  
*Dermestes solskyi*: Háva & Kalík, 1999:448  
*Dermestes solskyi*: Háva & Kopr, 2023:197  
Distribution: **AF**: Tunisia; **AS**: Iran
- species group „*gyllenhalii*“
- Dermestes gyllenhalii gyllenhalii* Laporte de Castelnau, 1840:34  
Syn.: *Dermestes tessellatus* Gyllenhal, 1808:150 (hn) [UZIU]  
*Dermestes atomarius* Christofori & Jan, 1832:29 (nn)  
*Dermestes atomarius* Erichson, 1846:431 [ZMUB]  
*Dermestes gyllenkali* [sic!]: Sigida & Puskhin, 1998:87  
*Dermestes atomarius* a. *nigritulus* Kalík (un): Háva, Herrmann & Kadej, 2016:340 [NHMB]  
Larva: Zhantiev, 1999:178  
Distribution: **EU**; Turkey; **AS**: „Caucasus“; Iran; Kazakhstan; Russia: european part, W Siberia
- Dermestes gyllenhalii helmi* Reitter, 1889c:279  
Syn.: *Dermestes Helmi* Reitter, 1889c:279 [HNHM]  
*Dermestes atomarius* var. *helmi*: Kniephof, 1935:125  
*Dermestes atomarius* ssp. *helmi*: Kalík, 1951b:45  
*Dermestes atomarius* ssp. *helmi*: Háva, 2014e:58  
Distribution: **EU**: Croatia; Czech Republic; Denmark; Germany; Poland; Sweden
- Dermestes szekessyi szekessyi* Kalík, 1950:61 [HNHM]  
Syn.: *Dermestes szekessyi* ssp. *borealis* Kalík (un): Schawaller, 1994:27 (nn)  
*Dermestes szekessyi* ssp. *borealis* Kalík (un): Háva, 2004k:210 [SMNS]  
*Dermestes szekessyi* ssp. *ibericus* Kalík (un): Háva, 2006k:15  
*Dermestes borealis* Kalík (un): Háva, Herrmann & Kadej, 2015d:569  
Larva: Zhantiev, 1999:178  
Distribution: **EU**; **AS**: „Caucasus“; C, W Kazakhstan; Mongolia; Russia: Astrakhan,



Novosibirsk, Stavropol, Tuva

- Dermestes szekessyi kazakh* Háva, 2019b:30 [JHAC]  
Distribution: **AS**: E Kazakhstan  
  
species group „*lanarius*“
- Dermestes aurichalceus* Küster, 1846b:50 [ZMUB]  
Syn.: *Dermestes holosericeus* Dejean, 1837:139 (nn)  
*Dermestes mustelinus*: Perris, 1853:638  
*Dermestes holosericeus* Tournier, 1860:318 (hn) [MNHN]  
*Dermestes aurichalceus* var. *holosericeus*: Pic, 1951a:8  
*Dermestes aurichalceus*: Angelov, 1988:154  
Distribution: **EU**: Bulgaria; France; Germany (intr.); Italy; Portugal; Sardinia; Spain;  
Switzerland; **AF**: Morocco; Tunisia
- Dermestes coronatus* Steven in Schönherr, 1808:85 [ZMUM]  
Syn.: *Dermestes signaticollis* Sturm, 1843:93 (nn)  
Larva: Zhantiev, 1999:179  
Distribution: **EU**: Poland (intr.); Turkey; Ukraine; **AS**: Afghanistan; „Caucasus“;  
China: Xinjiang; India: Kashmir; Iran; Kazakhstan; Kyrgyzstan; Mongolia;  
Pakistan; Russia: SE European part, Rostov, Stavropol; Tajikistan;  
Turkmenistan; Uzbekistan
- Dermestes erichsoni* Ganglbauer, 1904b:16 [NHMW]  
Syn.: *Dermestes tessellatus* Erichson, 1846:432 (hn) [ZMUB]  
*Dermestes Erichsoni* [sic!]: Deville, 1935:251  
*Dermestes erichsoni*: Atay et al., 2012:110  
*Dermestes Erichsoni* (Ganglbauer, 1904) [sic!]: Pushkin, 2015:19  
Larva: Zhantiev, 1999:178  
Distribution: **EU**; Turkey; Ukraine; **AS**: „Caucasus“; W Russia; Syria; **AF**: Algeria;  
Morocco; Tchad ?; Tunisia
- Dermestes intermedius intermedius* Kalík, 1951b:41 [HNHM]  
Distribution: **EU**: Austria; Bulgaria; Czech Republic; Crete; Croatia; Cyprus; Germany;  
Greece; Hungary; Italy; Macedonia; Moldavia; Romania; Russia: Ingushetia Republic,  
Osetia; Serbia; Slovakia; Turkey; Ukraine
- Dermestes intermedius iranicus* Háva & Kalík, 1999:444 [MHNG]  
Syn.: *Dermestes intermedius*: Mroczkowski, 2002:28  
Distribution: **AS**: Iran; Iraq; Syria
- Dermestes kaszabi* Kalík, 1950:64 [SMNS]  
Syn.: *Dermestes mustelinus*: Heyden, 1893:64  
*Dermestes mustelinus*: Zaitzev, 1919:163  
*Dermestes mustelinus*: Gentry, 1965:182  
*Dermestes mustelinus* [sic!]: Hagstrum & Subramanyam, 2009:75  
*Dermestes mustelinus* [sic!]: Pushkin, 2019a:8,9  
*Dermestes mustelinus* [sic!]: Ebrahimi, 2020:275  
Larva: Zhantiev, 1999:179  
Distribution: **EU**: Albania; Armenia; Azerbaijan; Belarus; Bosnia and Hercegovina; Bulgaria;  
Croatia; Czech Republic; Georgia; Germany; Greece; Hungary; Macedonia;  
Montenegro; Romania; Slovakia; Turkey; **AS**: Iran; Russia: Kemerovo,  
Krym, Odesa, Rostov, Stavropol, Volgograd; Uzbekistan
- Dermestes lanarius lanarius* Illiger, 1802:85 [ZMUB]  
Syn.: *Dermestes murinus* Herbst in Jablonsky, 1792:126 (hn) [ZMUB]  
*Dermestes macellarius* Herbst in Jablonsky, 1792:126 (hn) [ZMUB]  
*Dermestes affinis* Gyllenhal, 1808:148 [UZIU]  
*Dermestes lanarius* Dejean, 1821:4446 (nn)

- Dermestes catta* Duftschmid, 1825:34 [OLLA]  
*Dermestes liniarius* [sic!]: Stephens, 1829:8  
*Dermestes lanarius* [sic!]: Lomnicki, 1886: Burakowski et al., 1986:13  
*Dermestes lanarius* [sic!]: Wegrzecki, 1932: Burakowski et al., 1986:13  
*Dermestes lanarius* ab. *rulei* Kalík, 1951c:155 [HNHM]  
Larva: Hinton, 1945b:249; Zhantiev, 1999:178  
Distribution: **EU**: Turkey; **AF**: Algeria; Morocco; Libya; Tunisia; **AS**: Afghanistan; „Caucasus“; China: Inner Mongolia, Qinghai, Shaanxi, Sichuan; Iran; Iraq; Israel; Jordan; Kazakhstan; Kyrgyzstan; Mongolia; North Korea; Pakistan; Russia; Syria; Tajikistan; Thailand (intr.); Turkmenistan; Uzbekistan
- Dermestes lanarius subfulvicollis* Háva, 2003e:18  
Syn.: *Dermestes lanarius* ab. *subfulvicollis* Kalík, 1951c:155 [HNHM]  
*Dermestes lanarius* var. *subfulvicollis*: Zhantiev, 1976:65  
*Dermestes lanarius* ssp. *subfulvicollis*: Háva 2003e:18  
*Dermestes lanarius* ssp. *subfulvicollis*: Háva & Nardi, 2011:413  
*Dermestes lanarius* ssp. *subfulvicollis* Kalík, 1951 [sic!]: Pushkin, 2010:141  
*Dermestes lanarius* ssp. *subfulvicollis* Kalík, 1951 [sic!]: Pushkin, 2015a:135  
Distribution: **AS**: Kazakhstan; Russia: Krim, Rostov, Sarepta (Krasnoarmeysk), Ural, Volgograd
- Dermestes loebli* Háva, 2002h:539 [MCSN]  
Syn.: *Dermestes mustelinus*: Chikatunov, 2000:57  
Distribution: **AS**: Israel; Jordan; Lebanon; Syria
- Dermestes maroccanus* Háva, 1999a:134 [JHAC]  
Syn.: *Dermestes sardous* ? var. *fulvohirsutus* Kalík (un): Kocher, 1969b:59 (nn)  
*Dermestes maroccanus*: Háva, 1999b:144  
*Dermestes maroccanus*: Háva, 2002e:30  
Distribution: **AF**: Morocco: Haut Atlas
- Dermestes mustelinus* Erichson, 1846:433 [ZMUB]  
Syn.: *Dermestes tessellatus* Olivier, 1790:9 (hn) [?MNHN]  
*Dermestes murinus* Dejean, 1821:46 (nn)  
*Dermestes diadema* Motschulsky, 1849:89 [ZMUM]  
*Dermestes tessellatus* [sic!] Oliv.: Schlosser-Klekovski, 1877:323  
*Dermestes mustelinus* ab. *albomaculatus* Lepesme, 1950:58 [MNHN]  
*Dermestes mustelinus*: Háva, 2007c:57  
*Dermestes italicus* Kalík (un) [MHNG]  
Larva: Perris, 1853:638; Rey, 1887:187  
Distribution: **EU**: France; Germany; Italy; Poland (intr.?); Portugal; Sardinia; Spain
- Dermestes normandi* Kalík, 1951c:154 [HNHM]  
Syn.: *Dermestes normandi*: Kalík, 1951b:45 (nn)  
*Dermestes diadema*: Mroczkowski, 1968:53  
*Dermestes normandi*: Háva, 2003e:20  
Distribution: **AF**: Algeria; Morocco; Tunisia
- Dermestes sardous sardous* Küster, 1846b:49 [ZMUB]  
Syn.: *Dermestes sardous* var. *fulvofasciatus* Ganglbauer, 1904b:18 [NHMW]  
*Dermestes sardous* var. *striatellus* Reitter, 1908a:45 [HNHM]  
*Dermestes mustelinus*: Gentry, 1965:182  
*Dermestes baumi* Kalík (un): Kocher, 1969b:60 (nn)  
*Dermestes sardous* ssp. *striatellus*: Alfieri, 1976:116  
*Dermestes brauni* Kalík (un): Schawaller, 1994:27 (nn)  
*Dermestes sardous sardous*: Háva, 1999b:144  
*Dermestes sardous sardous*: Háva, 2015e:2  
Distribution: **EU**: Bosnia ?; Bulgaria; Corsica; France; Greece; Italy; Portugal; Sardinia; Slovenia; Spain; **AF**: Algeria; Egypt; Libya; Morocco; Tunisia; Western Sahara; **AMN**: U.S.A.: California (intr.)

- Dermestes sardous asiaticus* Háva, 2002h:240 [MCSN]  
 Syn.: *Dermestes sardous*: Lodos, 1998:94  
*Dermestes sardous sardous*: Háva, 1999b:144  
*Dermestes sardous*: Chikatunov, 2000:57  
*Dermestes sardous* [sic!] *asiaticus*: Pushkin, 2019a: Háva & Herrmann, 2019b:30  
*Dermestes sardous asiaticus*: Sert & Özdikmen, 2019:42  
 Distribution: **EU**: Turkey; **AS**: Iran; Israel; Jordan; Lebanon; Syria  
 species group „*maculatus*“
- Dermestes carnivorus* Fabricius, 1775:55 [ZMUC]  
 Syn.: *Dermestes carniforus*: Goeze, 1777:141  
*Dermestes versicolor* Laporte de Castelnau, 1840:33 [MNHN]  
*Dermestes mexicanus* Children, 1843:11 (nn)  
*Dermestes humeralis* Solier: Gaubil, 1849:74 (nn)  
*Dermestes mucoreus* LeConte, 1854:108 [MCZC]  
*Dermestes sobrinus* LeConte, 1854:108 [MCZC]  
*Dermestes muscoreus* Reitter, 1881a:28 [HNHM]  
*Dermestes impressicollis* Reitter, 1881a:29 [HNHM]  
*Dermestes humeralis* Solier: Fleutiaux, 1889:392 (nn)  
*Dermestes carnivorus* var. *doemlingi* Meier, 1899:99 [ZMUH]  
*Dermestes carnivorus*: Linell, 1899:256  
*Dermestes unicolor* Lepesme, 1950:44 [MNHN]  
*Dermestes carnivorus* ab. *dommlingi* [sic!]: Lepesme, 1950:56  
*Dermestes unicolor*: Kalík, 1952b:46  
*Dermestes sobrinus*: Kalík, 1952b:47  
*Dermestes nucoreus* [sic!]: Liu & Zhang, 1986:47  
*Dermestes carnivorus*: Háva, 1999a:133  
*Dermestes carnivorus*: Háva, 2000e:162  
*Dermestes carnivorus*: Háva, 2002e:30  
*Dermestes leucogaster* Heer (un)  
*Dermestes mexicanus* Dupont: Heer (un)  
 Larva: Rees, 1947:13; Peacock, 1993:48  
 Distribution: **EU**, **AF**, **AMN**, **AM**, **AS**, **AU**
- Dermestes coarctatus* Harold, 1877:347 [?ZMUB]  
 Larva: Zhantiev, 1999:175  
 Distribution: **AS**: N China; Japan; North Korea; Russia: E Siberia; South Korea
- Dermestes frischii* Kugelann, 1792:478 [MZPW]  
 Syn.: *Dermestes vulpinus* Herbst in Jablonsky, 1792:124 (hn) [ZMUB]  
*Dermestes pollinctus* Hope in Pettigrew, 1834a:54 [OXUM]  
*Dermestes fritschii* [sic!]: Motschulsky, 1849:89  
*Dermestes teischii* [sic!]: Bell, 1986:154  
*Dermestes frischrii*: Wachtl, 1870:56  
*Dermestes frischii* ab. *uniformis* Rey, 1889:59 [MNHN]  
*Dermestes Frishy* [sic!] v. *uniformis*: Pic, 1895b:116  
*Dermestes Frischii* ssp. *Heyrovskyi* Obenberger, 1917a:32 [NMPC]  
*Dermestes fritschii* [sic!]: Cobos, 1950:585  
*Dermestes frischii* var. *rufimembris* Pic, 1951c:7 [MNHN]  
*Dermestes frischii* var. *sternimaculatus* Marcu, 1957:531 [?]  
*Dermestes sibiricus* Frilli, 1960:112  
*Dermestes frishii* [sic!]: Alexandrovitch, 1996:34  
*Dermestes frischii*: Háva, 1999b:142  
*Dermestes fritschii* [sic!]: Abivardi, 2001:682  
*Dermestes frishii* [sic!]: Rees, 2004:61  
*Dermestes frishii* [sic!]: Magana et al. 2006:56  
*Dermestes firschii* [sic!]: Jiang et al., 2012:16  
*Dermestes frishii* [sic!]: Florent et al., 2015:111

- Dermestes valpinus* [sic!]: Pushkin, 2019a: Háva & Herrmann, 2019b:30  
*Dermestes fricschi* [sic!]: Pushkin et al., 2019:14,15  
*Dermestes frischii* [sic!]: Tamadouni & Arahou, 2017:38  
*Dermestes cadaverinus* [sic!]: Siqueira et al. 2021:4  
*Dermestes ater* [sic!]: Siqueira et al. 2021:5  
*Dermestes frisehii* [sic!]: Amr, 2021:188  
Larva: Hinton, 1945b:250; Zhantiev, 1999:174  
Distribution: **EU, AF, AMN, AM, AS, AU**
- Dermestes maculatus* DeGeer, 1774:223 [NHRS]  
Syn.: *Dermestes marginatus* Thunberg, 1781:7 [UZIU]  
*Dermestes vulpinus* Fabricius, 1781:64 [BMNH]  
*Dermestes australis* Dejean, 1821:46 (nn)  
*Dermestes senex* Germar, 1824:84 [ZMUB]  
*Dermestes lateralis* Sturm, 1826:130 (nn)  
*Dermestes senegalensis* Christofori & Jan, 1832:30 (nn)  
*Dermestes australis* MacLeay: Dejean, 1833:124 (nn)  
*Dermestes senegalensis* Dejean, 1833:124 (nn)  
*Dermestes lupinus* Christofori & Jan, 1832:89 (nn)  
*Dermestes elongatus* Hope in Pettigrew, 1834a:55 [OXUM]  
*Dermestes roei* Hope in Pettigrew, 1834a:55 [OXUM]  
*Dermestes australis* MacLeay: Boisduval, 1835:146  
*Dermestes lupinus* Eschscholtz in Mannerheim, 1843:257 [MCZC]  
*Dermestes vulpinus* var. *senex* Dahl [sic!]: Villa & Villa, 1844:38  
*Dermestes semistriatus* Boheman, 1851:583 (pars)  
*Dermestes vulpinus* var. *lupinus*: LeConte, 1854:109  
*Dermestes vulpinus* var. *senex* Dahl [sic!]: Galeazzi, 1854:8  
*Dermestes cinereus* Redtenbacher, 1867:43 [NHMW]  
*Dermestes rattulus* Mulsant & Rey, 1868:30 [MNHN]  
*Dermestes vulpinus* var. *sudanicus* Gredler, 1878:506 [GGFB]  
*Dermestes vulpinus* var. *senex*: Reitter, 1906:377  
*Dermestes vulpinus* var. *rattulus*: Dalla Torre, 1911:50  
*Dermestes truncatus* Casey, 1916:180 [USNM]  
*Dermestes vulpinus* [sic!]: Matsumura, 1915:85  
*Dermestes maculatus* ab. *rattulus*: Lepesme, 1950:46  
*Dermestes vulpinus* ab. *rattulus*: Shaw, 1966:264  
*Dermestes maculatus* var. *kurseongensis* Lepesme, 1939:192 [MNHN]  
*Dermestes kurseongensis*: Lepesme, 1950:48  
*Dermestes maculatus* var. *cyprius* Pic, 1951c:7 [MNHN]  
*Dermestes maculatus* ssp. *pakistanicus* Havelka, 1951b:143 [NMPC]  
*Dermestes maculata* [sic!]: Hua, 2002:101  
*Dermestes maculatus* ssp. *vulpinus*: Kalík, 1955a:93  
*Dermestes maculatus vulpinus* ab. *nigropubescens* Kalík, 1955a:94 (nn)  
*Dermestes maculatus vulpinus* ab. *nigropubescens* Kalík, 1955b:295 [ZSMC]  
*Dermestes maculatus* ab. *nigropubescens*: Mroczkowski, 1968:56  
*Dermestes meculatus* [sic!]: Li, 1988:358  
*Dermestes maculatus pakistanicus*: Háva, 1999a:134  
*Dermestes maculates* [sic!]: Jiang et al., 2012:16  
*Dermestes vulpinus* [sic!]: Amr, 2021:188  
*Dermestes maculates* [sic!]: Al-Saffar & Augul, 2022:181  
Larva: Hinton, 1945b:250; Rees, 1947:13; Prins, 1984:214; Zhantiev, 1999:174  
Distribution: **EU, AF, AMN, AM, AS, AU**
- Dermestes madagascariensis* Lepesme, 1939:192 [MNHN]  
Syn.: *Dermestes madagascariensis* Háva, 2012g:119  
Distribution: **AF**: Madagascar
- Dermestes planus* Mroczkowski, 1960b:210  
Syn.: *Dermestes frischii* ssp. *planus* Mroczkowski, 1960b:210 [ZMAS]  
*Dermestes planus*: Zhantiev, 1963b:1053

- Larva: Zhantiev, 1999:175  
Distribution: **AS**: Turkmenistan; Uzbekistan
- Dermestes shaanxiensis* Z. Cao, 1987:271 [SPIC]  
Distribution: **AS**: China: Shaanxi prov.; Taiwan
- Dermestes sibiricus* Erichson, 1846:427 [ZMUB]  
Syn.: *Dermestes sibiricus* Mannerheim (un)  
*Dermestes sibiricus* [sic!]: Mulsant & Rey, 1868:32  
*Dermestes frischii* var. *sibiricus*: Reitter, 1906:377  
*Dermestes frischii* ssp. *sibiricus*: Kuznecova, 1932:237  
*Dermestes sibiricus* [sic!]: Zhantiev, 1960:1629  
*Dermestes sibiricus* [sic!]: Ghahari & Háva, 2017:615  
Larva: Zhantiev, 1999:174  
Distribution: **EU**: Armenia; Turkey; **AS**: „Caucasus“; N China; Iran; Kazakhstan; Mongolia; Pakistan; Russia; Turkmenistan; Uzbekistan
- species group „*marmoratus*“
- Dermestes caninus caninus* Germar, 1824:84 [ZMUB]  
Syn.: *Dermestes tessellatus* Herbst in Jablonsky, 1792:122 (hn) [ZMUB]  
*Dermestes nubilis* Say, 1832:3 [ANSP]  
*Dermestes murinus* LeConte, 1854:108 [MCZC]  
*Dermestes murinus* var. *caninus*: Jayne, 1882:350  
*Dermestes caninus* var. *compactus* Casey, 1900:141 [USNM]  
*Dermestes caninus* var. *nubipennis* Casey, 1900:141 [USNM]  
*Dermestes mormonalis* Casey, 1924:185 [USNM]  
*Dermestes nubilis* [sic!]: Sikes, 2003:160  
*Attagenus concolor* Heer (un)  
Larva: Rees, 1947:13; Kiselyova & McHugh, 2006:473  
Distribution: **AMN**: Canada; Hawaiian Is.; Mexico; U.S.A.; **AM**: Dominican Republic; Cuba; Guatemala; Jamaica
- Dermestes caninus mannerheimi* LeConte, 1854:107 [MCZC]  
Syn.: *Dermestes mannerheimi* LeConte, 1854:107  
*Dermestes marmoratus* var. *mannerheimi*: Jayne, 1882:350  
*Dermestes caninus* var. *mannerheimi*: Casey, 1900:141  
*Dermestes caninus* ssp. *mannerheimi*: Hatch, 1962:281  
*Dermestes caninus* var. *mannerheimi*: Mroczkowski, 1968:53  
*Dermestes caninus mannerheimi*: Háva, 2003e:16  
Distribution: **AMN**: Mexico; U.S.A.: California, Idaho, Indiana, New Mexico, Oregon, Texas, Washington
- Dermestes fasciatus* LeConte, 1854:107 [MCZC]  
Distribution: **AMN**: Canada: Alberta, Manitoba, Saskatchewan; U.S.A.
- Dermestes marmoratus* Say, 1823:197 [ANSP]  
Syn.: *Dermestes marmoratus*: Ashmole & Ashmole, 1997:584  
*Dermestes armoralus* [sic!]: Domínguez Umpiérrez & Marrero Artabe, 2010:78  
*Dermestes variegatus* Claire: Heer (un)  
Larva: Rees, 1947:10; Kiselyova & McHugh, 2006:473  
Distribution: **AF**: St. Helena (Boatswainbird I.) (intr.); **AMN**: Canada; Mexico; U.S.A.; **AM**: Cuba (intr.)
- species group „*murinus*“
- Dermestes fulvicollis* Reitter, 1881a:29 [BMNH?]  
Syn.: *Dermestes tessellatocollis* ab. *pici* Lepesme, 1950:53 [MNHN]  
*Dermestes tessellatocollis* ssp. *pici* Mroczkowski, 1963a:377 [GPIH]

- Dermestes tessellatocollis* ssp. *pici*: Háva, 2015e:21  
*Dermestes (Dermestinus) fulvicollis*: Mroczkowski, 1968:55  
*Dermestes (Dermestinus) fulvicollis*: Háva, 2003e:17  
*Dermestes (Montandonia) fulvicollis*: Háva, 2015e:3  
*Dermestes (Dermestinus) fulvicollis*: Háva, 2021s:463  
Distribution: **AS**: China: Tibet, Shaanxi; India: Himachal Pradesh, Uttaranchal, Uttar Pradesh; Nepal; Sikkim
- Dermestes hankae* Háva, 1999b:143 [NMPC]  
Syn.: *Dermestes hankae*: Herrmann & Bahillo, 2003:91  
*Dermestes hankae*: Prieto & Háva, 2013a:242  
*Dermestes hankae*: Nardi & Háva, 2013:49  
*Dermestes hankae*: Cabanillas: 2022:4  
Distribution: **EU**: France; Italy; Spain; **AF**: Algeria
- Dermestes murinus murinus* Linnaeus, 1758:356 [UZIU]  
Syn.: *Dermestes nebulosus* DeGeer, 1774:197 [NHRS]  
*Dermestes marinus* [sic!]: Fabricius, 1787:35  
*Dermestes catta* Panzer, 1789:123 [ZMUB]  
*Dermestes cadaverulentus* Voet: Olivier, 1790:9  
*Dermestes cadaverulentus* Voet: Olivier, 1791:267  
*Dermestes murinus* var.: Ponza, 1805:42  
*Dermestes cadaverulentus* Voet, 1806:57  
*Dermestes roseiventris* Dejean, 1821:46 (nn)  
*Dermestes roseiventris* Laporte de Castelnau, 1840:34 [MNHN]  
*Dermestes murinus* var. *roseiventris*: Heer, 1837:25  
*Dermestes murinus* var. *roseiventris*: Heer, 1841a:25  
*Dermestes roseiventris* var. *catta* [sic!]: Villa & Villa, 1844:38  
*Dermestes roseiventris* Peyer. [sic!]: Galeazzi, 1854:8  
*Dermestes cotta* [sic!]: Weigel, 1806: Burakowski et al., 1986:15  
*Dermestes maurinus* [sic!]: Mroczkowski, 1991:64  
*Dermestes maurinus* [sic!]: Petryszak, 2004:47  
*Dermestes caninus* [sic!]: Hagstrum & Subramanyam, 2009:73  
*Dermestes murinus murinus*: Háva, 2015e:2  
Larva: Hinton, 1945b:250; Zhantiev, 1999:177  
Distribution: **EU**; Canary Is.: Tenerife (intr.); Cyprus; Turkey; **AF**: Egypt ?; Morocco; Tunisia; **AS**: N China; Iran; Kazakhstan; North Korea; Kyrgyzstan; Pakistan; Russia; Syria; Tajikistan; Turkmenistan; Uzbekistan
- Dermestes murinus auriceps* Reitter, 1905:244  
Syn.: *Dermestes murinus* subvar. *auriceps* Reitter, 1905:244 [HNHM]  
*Dermestes murinus* ssp. *auriceps*: Mroczkowski, 1966d:438  
Distribution: **AS**: North Korea; Mandzhuria; Mongolia; Russia: E Siberia
- Dermestes nan* Háva, 2002c:303  
Syn.: *Dermestes tessellatocollis nan* Háva, 2002c:303 [NMPC]  
*Dermestes nan*: Háva, 2003e:20  
Distribution: **AS**: Laos; Thailand
- Dermestes pardalis* Billberg in Schönherr, 1808:90 [NHRS]  
Syn.: *Dermestes thoracicus* Dejean, 1821:46 (nn)  
*Dermestes thoracicus* Gené, 1836:22 [?MRSN]  
*Dermestes pardalis*: Angelov, 1988:153  
*Dermestes pardalis*: Háva, 1999b:144  
Distribution: **EU**: Bulgaria ?; Corsica; Germany; Portugal; Sardinia; Spain; **AF**: Algeria; Morocco; Tunisia
- Dermestes rattus rattus* LeConte, 1854:108 [MCZC]  
Syn.: *Dermestes murinus* var. *rattus*: Jayne, 1882:351  
Distribution: **AMN**: Canada: Alberta, British Columbia; U.S.A.: Alabama, California,

Colorado, Idaho, Montana, Ohio, Oregon, South Dakota, Utah, Washington,  
Wisconsin, Wyoming

- Dermestes rattus tristis* Fall, 1897:237  
Syn.: *Dermestes tristis* Fall, 1897:237 [MCZC]  
    *Dermestes medialis* Casey, 1900:141 [USNM]  
    *Dermestes rattus tristis*: Beal, 1994a:29  
    *Dermestes szekessyi* [sic!]: Pushkin, 2019a:11,12  
Larva: Rees, 1947:12  
Distribution: **AMN**: Mexico: Baja California Norte; U.S.A.: California, Idaho, Oregon,  
    Washington, Wyoming
- Dermestes talpinus* Eschscholtz in Mannerheim, 1843:257 [MCZC]  
Syn.: *Dermestes catta* var. *talpinus* Dejean, 1837:139 (nn)  
    *Dermestes undulatus* ssp. *talpinus*: Lapesme, 1950:46  
    *Dermestes undulatus* ssp. *talpinus*: Hatch, 1962:281  
Larva: Rees, 1947:14  
Distribution: **AMN**: Canada; U.S.A.
- Dermestes tessellatocollis* Motschulsky, 1860:124 [ZMUM]  
Syn.: *Dermestes tessellaticollis* Motschulsky, 1859:491 (nn)  
    *Dermestes tessellatocollis* var. *kaliki* Havelka, 1957:106 [NMPC]  
    *Dermestes tessllatocollis* [sic!]: Li, 1988:358  
    *Dermestes tessellatocollis*: Háva, 1999a:135  
    *Dermestes tesellaticollis* [sic!]: Háva & Legalov, 2010:295  
Larva: Zhantiev, 1999:177  
Distribution: **AS**: N China, Tibet; Japan; North Korea; Russia: E Siberia; South Korea
- Dermestes undulatus* Brahm, 1790b:114 [?]  
Syn.: *Dermestes murinus* Olivier, 1790:9 (hn) [?MNHN]  
    *Dermestes vulpecula* Herbst, 1791:123 [ZMUB]  
    *Dermestes tessellatus* Illiger, 1802:84 (hn) [ZMUB]  
    *Dermestes caninus* Gravenhorst, 1807:144 [?]  
    *Dermestes tessellatus* var. *vulpecula*: Dejean, 1821:46  
    *Dermestes variegatus* Brullé, 1832:163 [MNHN]  
    *Dermestes dissector* Kirby, 1837:115 [BMNH]  
    *Dermestes undatus* Brok [sic!]: Galeazzi, 1854 :8  
    *Dermestes tessulatus* [sic!] Ill.: Schlosser-Klekovski, 1877:323  
    *Dermestes cylindricus* Casey, 1916:181 [USNM]  
    *Dermestes undulatus* ab. *nigroclava* Kalík, 1946b:134 [SMNS]  
    *Dermestes undulatus* ab. *roseipennis* Lapesme, 1950:46 [MNHN]  
    *Dermestes undulatus* ssp. *martensi* Kalík (un): Schawaller, 1994:27 (nn)  
    *Dermestes undulatus* ssp. *martensi* Kalík (un): Háva, 2003k:251 [SMNS]  
        *Dermestes undulatus*: Háva, 2007c:57  
    *Dermestes dermestinus* [sic!] *undulatus*: Daisie, 2009:238  
    *Dermestes undulates* [sic!]: Pushkin, 2010:142  
    *Dermestes undulates* [sic!]: Pushkin, 2015a:136  
    *Dermestes undulatus*: Singh & Bala, 2019:4  
Larva: Hinton, 1945b:250; Zhantiev, 1999:177  
Distribution: **EU**, Canary Is.; **AF**: Algeria; Congo (intr.); Egypt; Libya; Morocco; Tunisia;  
    **AMN**: Canada; U.S.A.; **AS**: Afghanistan; Bhutan; China; Cyprus; India; Iran;  
    Iraq; Israel; Jordan; Lebanon; Kirgizia; Kazakhstan; North Korea; Pakistan;  
    Russia; Syria; Tajikistan; Turkmenistan; Uzbekistan
- fossil species incertae sedis** [NT 2]
- †*Dermestes pauper* Heer, 1847:43 [ETHZ]  
Distribution: **EU**: Germany (fossil: Early Miocene)
- †*Dermestes tertarius* Wickham, 1912:14 [USNM]

Distribution: **AMN**: U.S.A.: Colorado (fossil: Early Oligocene: Florissant)

**species (nomen nudum)**

*Dermestes affinis* Sturm, 1843:93 (nn)  
*Dermestes ater* Melsheimer, 1806:7 (nn)  
*Dermestes avidus* Christofori & Jan, 1832:29 (nn)  
*Dermestes canus* Sturm, 1843:93 (nn)  
*Dermestes castaneus* Thunberg, 1794b:134 (nn)  
*Dermestes cinereus* Dahl, 1823:30 (nn)  
*Dermestes destructor* Christofori & Jan, 1832:29 (nn)  
*Dermestes dimidiatus* Boeber in Georgi, 1802:333 (nn)  
*Dermestes eglongatulus* Fischer von Waldheim, 1829:49 (nn)  
*Dermestes elongatus* Dejean, 1837:139 (nn)  
*Dermestes festivus* Fischer von Waldheim, 1829:49 (nn)  
*Dermestes flavicornis* Schneider, 1785:5 (nn)  
*Dermestes floricola* Melsheimer, 1806:7 (nn)  
*Dermestes holosericus* Bonel: Gaubil, 1849:74 (nn)  
*Dermestes insulanus* Schneider, 1785:5 (nn)  
*Dermestes jesuita* Gistel, 1834:15 (nn)  
*Dermestes lectularius* Goeze, 1777:147 (nn)  
*Dermestes linearis* Rossi, 1788:129 (nn)  
*Dermestes marmoratus* Knoch in Melsheimer, 1806:6 (nn)  
*Dermestes nebulosus* Dejean, 1821:46 (nn)  
*Dermestes nebulosus* Melsheimer, 1806:7 (nn)  
*Dermestes niger* Melsheimer, 1806:7 (nn)  
*Dermestes oblongus* Sturm, 1843:93 (nn)  
*Dermestes obscurus* Sturm, 1843:93 (nn)  
*Dermestes persimilis* Crotch, 1873:41 (nn)  
*Dermestes rapax* Christofori & Jan, 1832:30 (nn)  
*Dermestes ruficollis* Gené: Giachino 1982:43 (nn)  
*Dermestes ruficornis* Sturm, 1843:93 (nn)  
*Dermestes serraticornis* Thunberg, 1787:39 (nn)  
*Dermestes signaticollis* Fischer von Waldheim: Gaubil, 1849:74 (nn)  
*Dermestes spadiceus* Melsheimer, 1806:7 (nn)  
*Dermestes spinipennis* Christofori & Jan, 1832:30 (nn)  
*Dermestes spinipennis* Villa & Villa, 1835:40 (nn)  
*Dermestes spinipennis* Villa, 1837:2 (nn)  
*Dermestes spinipennis* Frivaldszky: Giachino, 1982:361 (nn)  
*Dermestes sturmi* Christofori & Jan, 1832:89 (nn)  
*Dermestes teretiusculus* Schneider, 1785:5 (nn)  
*Dermestes undulatus* Melsheimer, 1806:7 (nn)  
*Dermestes viridanus* Melsheimer, 1806:7 (nn)  
*Dermestes viridis* Schneider, 1785:5 (nn)

**species described as *Dermestes* but non Dermestidae**

The present species list recently modified according to „Index Animalium“ and Catalogue of Palaearctic Coleoptera (Löbl & Smetana eds.) and to Opinions (ICZN).

*Dermestes*:

*abietis* Paykull, 1798:291 -non Dermestidae, recte Cryptophagidae.  
*absinthii* Marsham, 1802:77 -non Dermestidae, recte Coccinellidae.  
*acuminatus* Paykull, 1798:299 -non Dermestidae, recte Latridiidae.  
*adstrictor* Herbst, 1791:140 -non Dermestidae, recte Throscidae.  
*aeneus* Marsham, 1802:79 -non Dermestidae, recte Phalacridae.  
*aeneus* Villers, 1789:61 -non Dermestidae, familia ?  
*aestivus* Thunberg, 1787:39 -non Dermestidae, familia ?  
*agaricinus* Scopoli, 1763:16 -non Dermestidae, recte Scaphidiidae.



*antennuatus* Goeze, 1777:149 -non Dermestidae, familia ?  
*apiarius* Schrank, 1781:21 -non Dermestidae, recte Cleridae.  
*aquaticus* Geoffroy in Fourcroy, 1785:21 -non Dermestidae, recte Hydrophilidae.  
*armadellus* Villers, 1789:216 - non Dermestidae, recte Clambidae.  
*armadillo* Paykull, 1798:296 -non Dermestidae, recte Ptiliidae.  
*armadillus* DeGeer, 1774:220 -non Dermestidae, recte Clambidae.  
*armedillus* Motschulsky, 1850:196 -non Dermestidae, recte Clambidae.  
*armidilus* Villers, 1789:57 -non Dermestidae, recte Clambidae.  
*assimilis* Piller & Mitterpacher, 1783:67 -non Dermestidae, familia ?  
*ater* Lepechin, 1772:331 -non Dermestidae, familia ?  
*ater* Panzer, 1794:9 nec DeGeer, 1774:223 -non Dermestidae, recte Cryptophagidae.  
*ater* Paykull, 1798:298 -non Dermestidae, recte Pythidae.  
*ater* Thunberg, 1784:4 -non Dermestidae, recte Nitidulidae.  
*atomarius* DeGeer, 1774:218 -non Dermestidae, recte Ptiliidae.  
*atomarius* [sic!] DeGeer, 1774: Pushkin, 2019a:19  
*atomarius* Thunberg, 1794a:78 -non Dermestidae, recte Mycetophagidae.  
*atricapillus* Marsham, 1802:72 -non Dermestidae, recte Hydrophilidae.  
*auriculatus* Geoffroy in Fourcroy, 1785:20 -non Dermestidae, recte Dryopidae.  
*auritus* Goeze, 1777:148 -non Dermestidae, familia ?  
*bactridis* Linnaeus, 1763b:392 -non Dermestidae, recte Bruchidae.  
*bicinctus* Thunberg, 1794a:79 -non Dermestidae, recte Mycetophagidae.  
*bidentatus* Fabricius, 1792:233 -non Dermestidae, recte Silvanidae.  
*bidentatus* Schneider, 1785:5 -non Dermestidae, recte Curculionidae: Scolytinae.  
*bifasciatus* Goeze, 1777:146 -non Dermestidae, familia ?  
*bimaculatus* Panzer, 1798:7 -non Dermestidae, recte Cryptophagidae.  
*bipunctatus* Fabricius, 1792:231 -non Dermestidae, recte Silvanidae.  
*bipunctatus* Geoffroy in Fourcroy, 1785:18 -non Dermestidae, recte Nitidulidae.  
*bipunctatus* Schrank, 1776:61 -non Dermestidae, recte Ptinidae.  
*bipunctatus* Schrank, 1781:27 -non Dermestidae, recte Ptinidae.  
*bipunctatus* Villers, 1789:55 -non Dermestidae, Silvanidae.  
*bipustulatus* Fabricius, 1787:45 -non Dermestidae, recte Erotylidae.  
*bipustulatus* Fabricius, 1798:72 -non Dermestidae, recte Nitidulidae.  
*bipustulatus* Paykull, 1798:286 -non Dermestidae, recte Kateretidae.  
*bipustulatus* Thunberg, 1781:6 -non Dermestidae, recte Erotylidae.  
*bipustulatus* Thunberg, 1784:4 -non Dermestidae, recte Erotylidae.  
*bipustulatus* Villers, 1789:54 -non Dermestidae, recte Hydrophilidae.  
*boleti* Scopoli, 1763:17 -non Dermestidae, recte Ciidae.  
*boleti* Ström, 1783:52 -non Dermestidae, recte Tenebrionidae.  
*boleti* Villers, 1789:56 -non Dermestidae, recte Tenebrionidae.  
*boleti versicoloris* Goeze, 1777:147 -non Dermestidae, recte Ciidae.  
*boletothorus* Marsham, 1802:72 -non Dermestidae, recte Hydrophilidae.  
*brachypterus* Fabricius, 1792:235 -non Dermestidae, recte Staphylinidae.  
*brassicae* Scopoli, 1763:17 -non Dermestidae, recte Nitidulidae  
*brunneus* Marsham, 1802:78 -non Dermestidae, recte Ptiliidae.  
*caerulescens* Scopoli, 1763:18 -non Dermestidae, familia ?  
*caeruleus* Gmelin, 1790:1549 -non Dermestidae, recte Cleridae.  
*cafer* Gmelin, 1790:1598 -non Dermestidae, familia ?  
*calcographus* Linnaeus, 1761:143 -non Dermestidae, recte Curculionidae: Scolytinae.  
*calthae* Scopoli, 1763:18 -non Dermestidae, recte Hydrophilidae.  
*capensis* Gmelin, 1790:1598 -non Dermestidae, recte Ptinidae.  
*capucinus* Goeze, 1777:146 -non Dermestidae, familia ?  
*capucinus* Linnaeus, 1758:355 -non Dermestidae, recte Bostrichidae.  
*carbonarius* Scopoli, 1763:15 -non Dermestidae, familia ?  
*cassidoides* Marsham, 1802:77 -non Dermestidae, recte Corylophidae.  
*castaneus* Marsham, 1802:78 -non Dermestidae, recte Leiodidae.  
*castaneus* Panzer, 1795:104 -non Dermestidae, recte Nitidulidae  
*cathae* Villers, 1789:55 -non Dermestidae, recte Hydrophilidae.  
*cellaris* Fabricius, 1792:234 -non Dermestidae, recte Cryptophagidae.  
*cellaris* Scopoli, 1763:16 -non Dermestidae, recte Cryptophagidae.  
*chalcographus* Goeze, 1777:131 -non Dermestidae, recte Curculionidae: Scolytinae.

*chinensis* Fabricius, 1775:58 -non Dermestidae, recte Ptinidae.  
*chrysoloides* Schrank, 1781:31 -non Dermestidae, familia ?  
*ciliatus* Scopoli, 1763:17 -non Dermestidae, familia ?  
*clavicornis* Linnaeus, 1758:355 -non Dermestidae, recte Zopheridae.  
*coadunatus* Marsham, 1802:76 -non Dermestidae, recte Coccinellidae.  
*coerulescens* Villers, 1789:60 -non Dermestidae, familia ?  
*collaris* Quensel, 1790:8 -non Dermestidae, recte Tetratomidae.  
*colon* Linnaeus, 1758:357 -non Dermestidae, recte Nitidulidae.  
*complanatus* Schrank, 1798:427 -non Dermestidae, familia ?  
*concinus* Marsham, 1802:74 -non Dermestidae, recte Hydrophilidae.  
*consimilis* Marsham, 1802:75 -non Dermestidae, recte Phalacridae.  
*contractus* Geoffroy in Fourcroy, 1785:19 -non Dermestidae, familia ?  
*convexus* Marsham, 1802:73 -non Dermestidae, recte Clambidae.  
*cordatus* Thunberg, 1794a:81 -non Dermestidae, recte Tenebrionidae.  
*costatus* Goeze, 1777:148 -non Dermestidae, recte Heloporidae.  
*crenatus* Fabricius, 1798:72 -non Dermestidae, recte Cryptophagidae.  
*crenatus* Panzer, 1795:102 -non Dermestidae, familia ?  
*cristatus* Goeze, 1777:148 -non Dermestidae, familia ?  
*dentatus* Panzer, 1795:104 -non Dermestidae, recte Cryptophagidae.  
*dentatus* Rossi, 1790:34 -non Dermestidae, recte Cleridae.  
*denticulatus* Rossi, 1794:80 -non Dermestidae, familia ?  
*dimidiatus* Geoffroy in Fourcroy, 1785:25 -non Dermestidae, familia ?  
*domesticus* Brahm, 1790:17 -non Dermestidae, familia ?  
*domesticus* Linnaeus, 1758:356 -non Dermestidae, recte Curculionidae: Scolytinae.  
*domesticus* Schrank, 1781:30 -non Dermestidae, recte Curculionidae: Scolytinae.  
*dubius* Rossi, 1792:17 -non Dermestidae, recte Bostrichidae.  
*elongatus* Linnaeus, 1761:141 -non Dermestidae, recte Trogossitidae.  
*elongatus* Villers, 1789:220 -non Dermestidae, familia ?  
*erythrocephalus* Schrank, 1798:426 -non Dermestidae, familia ?  
*eustatius* Linnaeus, 1758:357 -non Dermestidae, recte Ciidae  
*exilis* Gmelin, 1790:1600 -non Dermestidae, recte Curculionidae: Scolytinae.  
*faber* Schönherr, 1808:101 -non Dermestidae, recte Ptinidae.  
*fagineus* Schrank, 1798:424 -non Dermestidae, familia ?  
*fasciatus* Forster, 1771:8 -non Dermestidae, recte Nitidulidae.  
*fasciatus* Geoffroy in Fourcroy, 1785:23 -non Dermestidae, recte Ptinidae.  
*fasciatus* O. F. Müller, 1764:4 -non Dermestidae, familia ?  
*fasciatus* Scopoli, 1772:88 -non Dermestidae, familia ?  
*fasciatus* Thunberg, 1784:5 -non Dermestidae, recte Mycetophagidae.  
*fascicularis* Panzer, 1795:101 -non Dermestidae, recte Ptiliidae.  
*fenestralis* Linnaeus, 1758:356 -non Dermestidae, recte Monotomidae.  
*fenestralis* Paykull, 1798:297 -non Dermestidae, recte Latridiidae.  
*fenestratus* Fabricius, 1801:318 -non Dermestidae, recte Latridiidae.  
*fenestratus* Thunberg, 1784:3 -non Dermestidae, recte Heteroceridae.  
*ferrugineus* Brahm, 1790:118 -non Dermestidae, recte Nitidulidae.  
*ferrugineus* Linnaeus, 1761:145 -non Dermestidae, recte Nitidulidae.  
*ferrugineus* Marsham, 1802:74 -non Dermestidae, recte Hydrophilidae.  
*ferrugineus* O. F. Müller, 1764:3 -non Dermestidae, familia ?  
*fimetarii* Panzer, 1795:103 -non Dermestidae, recte Cryptophagidae.  
*fimetarii* Paykull, 1798:293 -non Dermestidae, recte Cryptophagidae.  
*fimetarius* Herbst, 1783:21 -non Dermestidae, recte Ciidae.  
*fimetarius* Villers, 1798:55 -non Dermestidae, recte Phalacridae.  
*fimetarius* Fabricius, 1792:316 -non Dermestidae, recte Cryptophagidae.  
*flavescens* Geoffroy in Fourcroy, 1785:19 -non Dermestidae, recte Ptinidae.  
*flavescens* Schrank, 1782:140 -non Dermestidae, familia ?  
*flavescens* Marsham, 1802:64 -non Dermestidae, recte Byturidae.  
*flavus* Marsham, 1802:71 -non Dermestidae, recte Hydrophilidae.  
*formicarius* Schrank, 1781:21 -non Dermestidae, recte Cleridae.  
*formicaroides* Schrank, 1781:20 -non Dermestidae, recte Cleridae.  
*formicatus* DeGeer, 1774:216 -non Dermestidae, recte Leiodidae: Catopinae.  
*frontalis* Fabricius, 1798:72 -non Dermestidae, recte Coccinellidae.

*fulvipes* Geoffroy in Fourcroy, 1785:22 -non Dermestidae, recte Nitidulidae.  
*fulvipes* Goeze, 1777:149 -non Dermestidae, familia ?  
*fumatus* Fabricius, 1775:57 -non Dermestidae, recte Byturidae.  
*fumatus* Linnaeus, 1767:546 -non Dermestidae, recte Mycetophagidae.  
*fumatus* Laichartig, 1781:63 -non Dermestidae, recte Byturidae.  
*fungorum* Panzer, 1797:39 -non Dermestidae, recte Cryptophagidae.  
*fuscipes* Panzer, 1795:99 -non Dermestidae, familia ?  
*fuscus* Fabricius, 1787:35 -non Dermestidae, recte Ciidae.  
*gagates* Goeze, 1777:149 -non Dermestidae, familia ?  
*gagatinus* Geoffroy in Fourcroy, 1785:21 -non Dermestidae, familia ?  
*gibbosus* Panzer, 1795:100 -non Dermestidae, recte Latridiidae.  
*gigantinus* Schönherr, 1806:101 -non Dermestidae, familia ?  
*glaber* O. F. Müller, 1776:56 -non Dermestidae, familia ?  
*glaber* Panzer, 1795:101 -non Dermestidae, recte Latridiidae  
*glaberrimus* Paykull, 1798:287 -non Dermestidae, recte Kateretidae.  
*gleditsiae* Linnaeus, 1763b:392 -non Dermestidae, recte Bruchidae.  
*globulus* Paykull, 1798:295 -non Dermestidae, recte Cryptophagidae.  
*graphicus* Schrank, 1796:160 -non Dermestidae, recte Nitidulidae.  
*gravidus* Paykull, 1800:448 -non Dermestidae, recte Nitidulidae.  
*gyrinoides* Marsham, 1802:77 -non Dermestidae, recte Cryptophagidae.  
*haemorrhoum* Schrank, 1781:26 -non Dermestidae, recte Hydrophilidae.  
*hamatus* Fabricius, 1787:33 -non Dermestidae, recte Bostrichidae.  
*hemipterus* Linnaeus, 1758:358 -non Dermestidae, recte Nitidulidae.  
*hemipterus* Panzer, 1789:11 -non Dermestidae, familia ?  
*hirtus* Linnaeus, 1767, 563 -non Dermestidae, recte Dasytidae.  
*hortensis* Geoffroy in Fourcroy, 1785:21 -non Dermestidae, recte Nitidulidae.  
*humeralis* Marsham, 1802:67 -non Dermestidae, recte Erotylidae.  
*hypomelanus* Marsham, 1802:77 -non Dermestidae, recte Coccinellidae.  
*indicus* Gmelin, 1790:1600 -non Dermestidae, recte Bostrichidae.  
*inustus* Marsham, 1802:76 -non Dermestidae, recte Hydrophilidae.  
*jesuita* Fabricius, 1775:54 -non Dermestidae, recte Bostrichidae.  
*jesuita* O. F. Müller, 1776:57 -non Dermestidae, familia ?  
*laevis* Marsham, 1802:73 -non Dermestidae, recte Hydrophilidae.  
*lateralis* Marsham, 1802:69 -non Dermestidae, recte Hydrophilidae.  
*lepturoides* Scopoli, 1763:17 -non Dermestidae, recte Kateretidae.  
*lepturoides rufus* Goeze, 1777:145 -non Dermestidae, recte Kateretidae.  
*leucophilus* Schrank, 1781:28 -non Dermestidae, recte Nitidulidae.  
*leucophilus* Villers, 1789:56 -non Dermestidae, recte Nitidulidae.  
*ligniperda* Villers, 1789:221 -non Dermestidae, recte Curculionidae: Scolytinae.  
*lilii* Moll, 1784:175 -non Dermestidae, familia ?  
*limbatus* Fabricius, 1781:66 -non Dermestidae, recte Colydiidae.  
*limbatus* Schneider, 1785:5 -non Dermestidae, recte Curculionidae: Scolytinae.  
*linearis* Goeze, 1777:148 -non Dermestidae, recte Bostrichidae.  
*linearis* Paykull, 1798:302 -non Dermestidae, recte Latridiidae.  
*linearis* Thunberg, 1784:4 -non Dermestidae, recte Bostrichidae.  
*listerianus* Geoffroy in Fourcroy, 1785:17 -non Dermestidae, recte Silphidae.  
*longicornis* Geoffroy in Fourcroy, 1785:22 -non Dermestidae, familia ?  
*longicornis* Herbst, 1783:23 -non Dermestidae, recte Latridiidae.  
*longicornis* Panzer, 1794:23 -non Dermestidae, familia ?  
*longicornis* Thunberg, 1794a:81 -non Dermestidae, familia ?  
*longipes* Moll, 1784:176 -non Dermestidae, familia ?  
*lugubris* Geoffroy in Fourcroy, 1785:22 -non Dermestidae, recte Hydrophilidae.  
*lunatus* Fabricius, 1787:378 -non Dermestidae, recte Biphyllidae.  
*lunatus* Marsham, 1802:66 -non Dermestidae, recte Hydrophilidae.  
*luteus* Marsham, 1802:73 -non Dermestidae, recte Nitidulidae.  
*lycopardi* Scopoli, 1763:18 -non Dermestidae, recte Cryptophagidae.  
*lycopardi* Fabricius, 1792:231 -non Dermestidae, recte Cryptophagidae.  
*maculatus* Thunberg, 1781:7 -non Dermestidae, recte Mycetophagidae.  
*marginatus* Marsham, 1802:66 -non Dermestidae, recte Hydrophilidae.  
*marginatus* Paykull, 1798:300 -non Dermestidae, recte Latridiidae.

*marginatus* Villers, 1789:218 -non Dermestidae, familia ?  
*marginellus* Quensel, 1790:9 -non Dermestidae, recte Coccinellidae.  
*melanocephalus* Linnaeus, 1758:356 -non Dermestidae, recte Hydrophilidae.  
*melas* Marsham, 1802:78 -non Dermestidae, recte Ptiliidae.  
*mesomelus* Herbst, 1790:143 -non Dermestidae, recte Cryptophagidae.  
*micrographus* Linnaeus, 1758:355 -non Dermestidae, recte Curculionidae: Scolytinae.  
*minimus* Marsham, 1802:80 -non Dermestidae, recte Ptiliidae.  
*minimus* Schrank, 1798:429 -non Dermestidae, familia ?  
*minimus* Panzer, 1795:102 -non Dermestidae, recte Ptiliidae.  
*minutissimus* Motschulsky, 1850:196 -non Dermestidae, recte Clambidae.  
*minutus* Fabricius, 1792:235 -non Dermestidae, recte Latridiidae.  
*minutus* Fabricius, 1775:54 -non Dermestidae, recte Bostrichidae.  
*minutus* Paykull, 1798:294 -non Dermestidae, recte Cryptophagidae.  
*minutus laevis* Villers, 1789:55 -non Dermestidae, recte Hydrophilidae.  
*minutus striatus* Villers, 1789:55 -non Dermestidae, recte Hydrophilidae.  
*mitutus* Gyllenhal, 1827:132 -non Dermestidae, recte Latridiidae.  
*mollis* Linnaeus, 1758:355 -non Dermestidae, recte Ptinidae.  
*mollis* Schrank, 1781:22 -non Dermestidae, recte Cleridae.  
*monachus* Fabricius, 1775:54 -non Dermestidae, recte Bostrichidae.  
*multipunctatus* Thunberg, 1794a:79 -non Dermestidae, recte Mycetophagidae.  
*muricatus* Linnaeus, 1767:562 -non Dermestidae, recte Bostrichidae.  
*murinus* Ström, 1783:50 nec Linnaeus, 1758:356 -non Dermestidae, recte Byrrhidae.  
*musaeorum* Ström, 1783:52 -non Dermestidae, familia ?  
*navalis* Fabricius, 1775:56 -non Dermestidae, recte Tenebrionidae.  
*navalis* Herbst, 1791:38 -non Dermestidae, recte Tenebrionidae.  
*niger* Linnaeus, 1761:146 -non Dermestidae, recte Dasytidae.  
*nigriceps* Marsham, 1802:72 -non Dermestidae, recte Hydrophilidae.  
*nigricornis* Thunberg, 1794a:80 -non Dermestidae, recte Cryptophagidae.  
*nigrinus* Marsham, 1802:77 -non Dermestidae, recte Hydraenidae.  
*nigripennis* Paykull, 1798:292 -non Dermestidae, recte Cryptophagidae.  
*nigripes* Olivier, 1790:15 -non Dermestidae, familia ?  
*nitens* Marsham, 1802:79 -non Dermestidae, recte Cryptophagidae.  
*nitidulus* Marsham, 1802:79 -non Dermestidae, recte Ptiliidae.  
*nitidus* Marsham, 1802:75 -non Dermestidae, familia ?  
*notatus* Cederhielm, 1798:41 -non Dermestidae, familia ?  
*oblongus* Geoffroy in Fourcroy, 1785:19 -non Dermestidae, recte Bostrichidae.  
*obscurus* Fabricius, 1792:233 -non Dermestidae, recte Cryptophagidae.  
*obscurus* Marsham, 1802:72 -non Dermestidae, recte Hydrophilidae.  
*ochraceus* Scriba, 1791:193 -non Dermestidae, recte Byturidae.  
*ochropus* Marsham, 1802:64 -non Dermestidae, familia ?  
*ovalis* Marsham, 1802:73 -non Dermestidae, familia ?  
*ovatus* Marsham, 1802:76 -non Dermestidae, recte Phalacridae.  
*pallidus* Geoffroy in Fourcroy, 1785:18 -non Dermestidae, familia ?  
*pallidus* Marsham, 1802:79 -non Dermestidae, recte Coccinellidae.  
*pallipes* Fabricius, 1787:378 -non Dermestidae, familia ?  
*paniceus* Linnaeus, 1758:357 -non Dermestidae, recte Ptinidae.  
*pectinatus* (Laicharting, 1781) Schneider, 1785:5 -non Dermestidae, recte Ptinidae.  
*pectinicornis* Linnaeus, 1758:355 -non Dermestidae, recte Ptinidae.  
*pedicularius* Linnaeus, 1758:357 -non Dermestidae, recte Kateretidae.  
*pellio* O. F. Müller, 1776:56 -non Dermestidae, familia ?  
*pellucidus* Geoffroy in Fourcroy, 1785:22 -non Dermestidae, familia ?  
*pellucidus* Goeze, 1777:149 -non Dermestidae, familia ?  
*perpusillus* Marsham, 1802:80 -non Dermestidae, recte Ptiliidae.  
*pertinax* Linnaeus, 1758:355 -non Dermestidae, recte Ptinidae.  
*picatus* Marsham, 1802:80 -non Dermestidae, recte Corylophidae.  
*piceorhaeus* Marsham, 1802:78 -non Dermestidae, recte Cryptophagidae.  
*piceus* Marsham, 1802:69 -non Dermestidae, recte Hydrophilidae.  
*piceus* Panzer, 1795:97 -non Dermestidae, recte Melandryidae.  
*picinus* Marsham, 1802:69 -non Dermestidae, recte Hydrophilidae.  
*picipes* Fabricius, 1787:35 -non Dermestidae, recte Ciidae.

*pilosellus* Marsham, 1802:78 -non Dermestidae, recte Ptiliidae.  
*pilula* DeGeer, 1774:213 -non Dermestidae, recte Byrrhidae.  
*pilula* Linnaeus, 1758:356 -non Dermestidae, recte Byrrhidae.  
*piniperda* Linnaeus, 1758:355 -non Dermestidae, recte Curculionidae: Scolytinae.  
*pisorum* Linnaeus, 1758:356 -non Dermestidae, recte Bruchidae.  
*plicatus* Scopoli, 1763:19 -non Dermestidae, familia ?  
*poligraphus* Linnaeus, 1758:355 -non Dermestidae, recte Curculionidae: Scolytinae.  
*politus* Marsham, 1802:75 -non Dermestidae, familia ?  
*polygraphus* Goeze, 1777:131 -non Dermestidae, recte Curculionidae: Scolytinae.  
*porcatus* Panzer, 1794:8 -non Dermestidae, recte Latridiidae.  
*psyllius* Linnaeus, 1758:357 -non Dermestidae, recte Nitidulidae.  
*psyllius* Herbst, 1783:21 -non Dermestidae, recte Nitidulidae.  
*pubescens* Hausmann, 1799:34 -non Dermestidae, familia ?  
*pulchellus* Marsham, 1802:72 -non Dermestidae, recte Cryptophagidae.  
*pulicarius* Linnaeus, 1758:357 -non Dermestidae, recte Kateretidae.  
*pulvinatus* Scopoli, 1772:87 -non Dermestidae, familia ?  
*puncto-striatus* Goeze, 1777:148 -non Dermestidae, familia ?  
*punctatus* Thunberg, 1794a:79 -non Dermestidae, recte Mycetophagidae.  
*punctum* Marsham, 1802:80 -non Dermestidae, Corylophidae.  
*pusillus* Paykull, 1798:295 -non Dermestidae, recte Cryptophagidae.  
*pygmaeus* Geoffroy in Fourcroy, 1785:24 -non Dermestidae, familia ?  
*pygmaeus* Villers, 1789:221 -non Dermestidae, recte Curculionidae: Scolytinae.  
*quadratus* Herbst, 1793:8 -non Dermestidae, recte Latridiidae.  
*quadrinaculatus* Marsham, 1802:66 -non Dermestidae, recte Hydrophilidae.  
*quadrinaculatus* Schrank, 1781:25 -non Dermestidae, recte Hydrophilidae.  
*quadrinaculatus* Thunberg, 1794a:79 -non Dermestidae, recte Mycetophagidae.  
*quadripunctatus* Geoffroy in Fourcroy, 1785:21 -non Dermestidae, familia ?  
*quadripunctatus* Sulzer, 1776:21 -non Dermestidae, familia ?  
*quadripustulatus* Panzer, 1793:6 -non Dermestidae, recte Erotylidae.  
*quadripustulatus* Paykull, 1798:297 -non Dermestidae, familia ?  
*quercus* Schrank, 1781:34 -non Dermestidae, familia ?  
*quisquilius* Marsham, 1802:71 -non Dermestidae, recte Hydrophilidae.  
*rosae* Scopoli, 1763:15 -non Dermestidae, familia ?  
*ruber* Thunberg, 1784:3 -non Dermestidae, recte Leiodidae.  
*ruficollis* Fabricius, 1775:57 -non Dermestidae, recte Cleridae.  
*ruficollis* Marsham, 1802:68 -non Dermestidae, recte Leiodidae.  
*ruficornis* Gmelin, 1790:1600 -non Dermestidae, familia ?  
*rufipes* Fabricius, 1781:65 -non Dermestidae, recte Cleridae.  
*rufipes* Marsham, 1802:62 -non Dermestidae, recte Ptinidae.  
*rufipes* Scopoli, 1772:88 -non Dermestidae, familia ?  
*rufus* Herbst, 1783:22 -non Dermestidae, recte Coccinellidae.  
*rugosus* Panzer, 1795:101 -non Dermestidae, recte Latridiidae.  
*salicinus* O. F. Müller, 1776:57 -non Dermestidae, familia ?  
*sambucci* Scopoli, 1763:16 -non Dermestidae, recte Byturidae.  
*sanguinicollis* Fabricius, 1787:35 -non Dermestidae, recte Cleridae.  
*scaber* Fabricius, 1775:57 -non Dermestidae, recte Colydiidae.  
*scanicus* Fabricius, 1775:58 -non Dermestidae, recte Erotylidae.  
*scanicus* Linnaeus, 1758:357 -non Dermestidae, recte Cryptophagidae.  
*scapularis* Geoffroy in Fourcroy, 1785:23 -non Dermestidae, familia ?  
*scarabaeoides* Linnaeus, 1758:356 -non Dermestidae, recte Hydrophilidae.  
*scaraboides* Scopoli, 1763:15 -non Dermestidae, recte Nitidulidae.  
*scolythus* Sulzer, 1776:21 -non Dermestidae, recte Curculionidae: Scolytinae.  
*scolytus* Goeze, 1777:143 -non Dermestidae, recte Curculionidae: Scolytinae.  
*scolytus geoffroi* Goeze, 1777:143 -non Dermestidae, recte Curculionidae: Scolytinae.  
*semicoleopterus* Geoffroy in Fourcroy, 1785:25 -non Dermestidae, familia ?  
*semicoleoptratus* Panzer, 1794:24 -non Dermestidae, recte Staphylinidae.  
*serra* Panzer, 1795:10 -non Dermestidae, recte Ptinidae.  
*serratus* Paykull, 1798:300 -non Dermestidae, recte Latridiidae.  
*sexdentatus* Börner, 1776:78 -non Dermestidae, recte Curculionidae: Scolytinae.  
*sexdentatus* Fabricius, 1792:232 -non Dermestidae, recte Silvanidae.

*silphoides* Scopoli, 1772:89 -non Dermestidae, familia ?  
*similis* Marsham, 1802:68 -non Dermestidae, recte Hydrophilidae.  
*sordidus* Marsham, 1802:69 -non Dermestidae, recte Hydrophilidae.  
*spadiceus* Panzer, 1795:104 -non Dermestidae, familia ?  
*spinipes* Scopoli, 1772:87 -non Dermestidae, familia ?  
*stercorarius* Marsham, 1802:76 -non Dermestidae, recte Hydrophilidae.  
*stercoreus* Linnaeus, 1758:357 -non Dermestidae, recte Mycetophagidae.  
*striatus* Geoffroy in Fourcroy, 1785:20 -non Dermestidae, recte Heloporidae.  
*subterraneus* Fabricius, 1801:318 -non Dermestidae, recte Endomychidae.  
*sulcatus* Rossi, 1794:80 -non Dermestidae, familia ?  
*sulcatus* Thunberg, 1784:2 -non Dermestidae, recte Tenebrionidae.  
*surinamensis* Linnaeus, 1758:357 -non Dermestidae, recte Silvanidae.  
*suturalis* Fabricius, 1801:317 -non Dermestidae, recte Mycetophagidae.  
*suturatus* Geoffroy in Fourcroy, 1785:23 -non Dermestidae, familia ?  
*terminatus* Marsham, 1802:70 -non Dermestidae, recte Hydrophilidae.  
*tesellatus* [sic!] Fabricius: Gebler, 1847:446 -non Dermestidae, recte Ptinidae.  
*tesselatus* Geoffroy in Fourcroy, 1785:25 -non Dermestidae, familia ?  
*tessellatus* Fabricius, 1775:56 -non Dermestidae, recte Ptinidae.  
*tessellatus* Villers, 1789:54 -non Dermestidae, recte Ptinidae.  
*testaceus* Fabricius, 1775:57 -non Dermestidae, recte Ptinidae.  
*testaceus* var.: Zschach, 1788:5 -non Dermestidae, recte Mycetophagidae.  
*testaceus* Fabricius, 1792:233 -non Dermestidae, recte Mycetophagidae.  
*testaceus* Schank, 1781:27 -non Dermestidae, recte Byturidae.  
*testaceus* Villers, 1789:221 -non Dermestidae, recte Curculionidae: Scolytinae.  
*testudinarius* Geoffroy in Fourcroy, 1785:24 -non Dermestidae, recte Hydrophilidae.  
*thorace marginato* Schrank, 1776:49 -non Dermestidae, recte Ciidae.  
*thoracicus* Geoffroy in Fourcroy, 1785:24 -non Dermestidae, familia ?  
*tomentosus* DeGeer, 1774:199 -non Dermestidae, recte Byturidae.  
*tomentosus* Fabricius, 1775:57 -non Dermestidae, recte Byturidae.  
*tomentosus* Panzer, 1797:40 -non Dermestidae, recte Dasytidae.  
*tomentosus* Paykull, 1798:282 -non Dermestidae, recte Byturidae.  
*tomentosus* Schrank, 1781:30 -non Dermestidae, familia ?  
*tomentosus* var. *ochraceus* Illiger, 1798:321 -non Dermestidae, recte Byturidae.  
*tricolor* Geoffroy in Fourcroy, 1785:24 -non Dermestidae, recte Hydrophilidae.  
*trisulcus* Geoffroy in Fourcroy, 1785:23 -non Dermestidae, Zopheridae  
*typographus* Linnaeus, 1758:355 -non Dermestidae, recte Curculionidae: Scolytinae.  
*unidentatus* Fabricius, 1792:232 -non Dermestidae, recte Silvanidae.  
*unipunctatus* Marsham, 1802:70 -non Dermestidae, recte Hydrophilidae.  
*urticae* Fabricius, 1792:235 -non Dermestidae, recte Kateretidae.  
*variabilis* Fabricius, 1792:234 -non Dermestidae, recte Ciidae.  
*variabilis* Herbst, 1790:141 -non Dermestidae, recte Mycetophagidae.  
*variegatus* Geoffroy in Fourcroy, 1785:20 -non Dermestidae, recte Nitidulidae.  
*variegatus* Brullé, 1832:163 -non Dermestidae, familia ?  
*vastator* Kugelann, 1792:479 -non Dermestidae, recte Throscidae.  
*vernalis* O. F. Müller, 1776:57 -non Dermestidae, familia ?  
*vespillo* Scopoli, 1763:13 -non Dermestidae, recte Silphidae.  
*vespillo* Geoffroy in Fourcroy, 1785:17 -non Dermestidae, Zopheridae.  
*vigintipunctatus* Megerle, 1805:8 -non Dermestidae, familia ?  
*villosus* Gmelin, 1790:1600 -non Dermestidae, recte Heteroceridae.  
*vini* Laichartig, 1781:65 -non Dermestidae, recte Cryptophagidae.  
*vini* Panzer, 1797:40 -non Dermestidae, recte Cryptophagidae.  
*violaceus* Linnaeus, 1758:356 -non Dermestidae, recte Cleridae.  
*violaceus* Scopoli, 1763:18 -non Dermestidae, recte Cleridae.  
*viridis* Gmelin, 1790:1598 -non Dermestidae, recte Cleridae.  
*vittatus* Villers, 1789:221 -non Dermestidae, recte Curculionidae: Scolytinae.  
*xantcephalus* Quensel, 1790:10 -non Dermestidae, recte Coccinellidae.

*Montandonia* Haglund, 1894:394 -non Dermestidae, recte Heteroptera (family: Plataspidae).

*Montandonia longirostris* Haglund, 1894:396 -non Dermestidae, recte Heteroptera (family: Plataspidae).

*Montandonia punctata* Haglund, 1894:395 -non Dermestidae, recte Heteroptera (family: Plataspidae).

**Tribe:** Marioutini Jacobson, 1913:832

Type genus: *Mariouta* Pic, 1898b:73

Syn.: Marioutinae Winkler, 1926:682  
Rhopalosilphinae Arrow, 1929:98  
Marioutinae: Mroczkowski & Ślipiński, 1997:11  
Marioutini: Háva, 2003e:35  
Marioutini: Lawrence & Ślipiński, 2005:249

**Subtribe:** Marioutina Jacobson, 1913:832

**3. Genus *Mariouta* Pic, 1898b:73** [NT 2]

Type species: *Mariouta letourneuxi* Pic, 1898b:73

List of species

*Mariouta letourneuxi* Pic, 1898b:73 [MNHN]

Syn.: *Mariouta letourneuri* [sic!]: Escalera, 1914:135  
*Mariouta letourneuxi*: Mroczkowski & Ślipiński, 1997:15  
Distribution: **AF**: Algeria; Egypt; Morocco; Tunisia

*Mariouta stangei* Reitter, 1910a:239 [HNHM]

Syn.: *Mariouta stangei*: Mroczkowski & Ślipiński, 1997:15  
Distribution: **AF**: Sudan; **AS**: Kazakhstan; Oman; Pakistan; Saudi Arabia; Turkmenistan

**Subtribe:** Rhopalosilphina Arrow, 1929:98

**4. Genus *Rhopalosilpha* Arrow, 1929:97** [NT 1]

Type species: *Rhopalosilpha wasmanni* Arrow, 1929:97

List of species

*Rhopalosilpha wasmanni* Arrow, 1929:97 [BMNH]

Syn.: *Rhopalosilpha wasmanni*: Mroczkowski & Ślipiński, 1997:15  
*Rhopalosilpha wasmanni*: Háva & Herrmann, 2021a:213  
Distribution: **AS**: Iran: Kurdistan; Jordan; Saudi Arabia

**Tribe:** Paradermestini Deng, Ślipiński, Ren & Pang, 2017a:110

Type genus: *Paradermestes* Deng, Ślipiński, Ren & Pang, 2017a:110

**5. Genus *Paradermestes* Deng, Ślipiński, Ren & Pang, 2017a:111** [NT 1]

Type species: *Paradermestes jurassicus* Deng, Ślipiński, Ren & Pang, 2017a:112

List of species

†*Paradermestes jurassicus* Deng, Ślipiński, Ren & Pang, 2017a:112 [CNUC]

Syn.: *Paradermestes jurassicus*: Yu et al., 2019:385  
Distribution: **AS**: China: Inner Mongolia (fossil: Middle Jurassic)

